




### CONTENTS


#### page 6 Discover the brand 14 Created for every aspect of life 16 There's a Jacuzzi $^{\mbox{\tiny $\mathbb{R}$}}$ hot tub for every kind of space 18 PowerPro® jets collection 20 Hydromassage 22 Water care Find the perfect Jacuzzi® collection page 24 for your way of life. J-500™ 26 Discover the best of us. J-400™ J-300™ J-200™ $J-LX^{\mathbb{R}}$ Design Professional Lodge 108 Technical details 114 Colours & finishes 126

Service & aftercare

132










# WELL-BEING IS A GOAL. WORLDWIDE.






Like those of the Us ski team, who chose Jacuzzi<sup>®</sup> as partners to help their athletes become leaders on ski circuits around the world.

A perfect union with the world of skiing, Jacuzzi® also confirmed their role as an official event sponsor of the Fls Alpine ski World cup. the best for the downhill champions, the maximum for you: because for Jacuzzi® athletes are all equal.



# THE NAME THAT LAUNCHED AN INDUSTRY CONTINUES TO REDEFINE IT.

# JACUZZI BROS.



outdoors are introduced such as waterfalls.

whirlpool bath, the 'Roman'.


When the seven Jacuzzi brothers immigrated from Italy to the United states, they had no idea that a pump they designed for orchards would revolutionise hydrotherapy in the home. And while the family's critical need to change the life of a child triggered this therapeutic invention, a desire for wellness pioneered an industry.







Jacuzzi® has identified the 'four moods' that change the way we live today. they are the basis of all our collections and ensure that your experience within a hot tub is truly 'whole'.

















For when your body needs enhanced recovery.









For a little quiet time.







For that impact in your garden, on your terrace or balcony.





Whether your outdoor or indoor space is generous, compact or somewhere in between, there's a Jacuzzi<sup>®</sup> hot tub to fit. From a lawn fringed patio to a roof top terrace, you can be sure that our ingeniously designed and easy to install range will be right at home.

With no need for outdoor plumbing, your hot tub can be conveniently installed into an area that best suits the way you live.


























# OWERPRO® JETS\*

























 $J\text{--}500^{\text{\tiny{TM}}},\,J\text{--}400^{\text{\tiny{TM}}},\,J\text{--}LX^{\otimes}$  AND  $J\text{--}300^{\text{\tiny{TM}}}$ 

POWERPRO® JETS COLLECTION KEY







Based on FX technology, the FX Smallets are perfect for a focused massage on key pressure points such as your perfect for stimulating feet.



PowerPro® FX

The unique rifling action creates a rejuvenating, spiral stream of air and water, muscle groups.



PowerPro<sup>®</sup> **FX** Rotational

Focusing on smaller muscle groups with a kneading effect, the FX Rotational Jet stimulates surrounding tissue.



NX2 PowerPro® NX2

This directional jet effectively relieves tension and strain in the sensitive and hard-toreach neck area through a highly focused stream of water.



Elite performance more jets do not equal a better hydromassage, but the right jets do. From the perfect mix of air and water to the careful placement of each exclusive POWERPRO® jet, we deliver the optimal massage. And that is why the Jacuzzi® brand is recognised by consumers as the industry leader.





With a wide swath that provides an exceptional massage for large muscles, the rotational action can help overworked, overstressed muscles and joints.



MX2 PowerPro® MX2

Based on the form and function of the original Jacuzzi® Jet, the newgeneration jets deliver maximum volume at a higher air-to-water ratio to deliver a bold massage to the muscles in the lower back.



PowerPro® RX

The spinning RX Jet delivers comfor ting relief to the back and shoulders utilizing the highest performance hydromassage the Jacuzzi<sup>®</sup> Brand offers.



PowerPro® FX Directional

Designed to relieve tension and improve circulation, this spiral action directional jet delivers a bold, targeted massage to the hips.



PowerPro® BX

Exclusive to the J-300<sup>™</sup> collection, the comforting yet rejuvenating bubbling effect massages the calves.



PowerPro® FX Large


Focusing on the middle of the back to relieve tension and muscle strain, the spiral action massage promotes better circulation.



PowerPro® PX

Perfect for small muscle groups in the wrists, hands and legs, the gentle pulsating massage can be adjusted for different rates of flow.

<sup>\*</sup> PowerPro® Jets are available in select models in the J-500 $^{\text{m}}$ , J-400 $^{\text{m}}$ , J-400 $^{\text{m}}$  collections. Also available in Design collection (except Alimia) and Professional ranges (except Lodge). Sizes shown are approximate.





## **JACUZZI**® HYDROMASSAGE

Hydromassage research supports the benefits of hydrotherapy for stress, lower back pain, sleeplessness, post exercise recovery, leg cramps, arthritis and fibromyalgia.
























J-500™, J-400™, J-LX® AND J-300™

POWERPRO® JETS COLLECTION KEY



#### **EXCLUSIVE POWERPRO® JET SYSTEM**

Utilising Jacuzzi® Aqualibrium®, the combination of versatile PowerPro® lets, and our ergonomically designed seats, our products deliver an adjustable high-flow, low-pressure hydromassage that feels like no other.

#### **AQUALIBRIUM®**

The perfect mix of air and water.




The RX Jet therapy seat

The spinning RX Jet delivers comforting relief to the back and shoulders utilising the highest performance hydromassage the Jacuzzi® brand offers. This customer favorite seat is available in our J-500 $^{\mathsf{m}}$ , J-400 $^{\mathsf{m}}$  and J-LX $^{\mathsf{R}}$ collections.



The MX2 jet therapy seat

The deeply contoured bold lower back seat supports your body in the ideal position for a powerful maximum volume and low pressure deep tissue massage. Recognised as our original Jacuzzi® Jet, the MX2 Jet seat delivers a concentrated massage especially effective for larger muscles in the lower back.



The FX-12 therapy seat

The full coverage neck and back seat not only delivers deep, adjustable pressure to relieve chronic aches and pains. The FX-12 seat also targets muscle tension in your calves and feet for a full-body experience.



The PROAIR<sup>™</sup> lounge

The perfect combination of two types of PowerPro® lets, this muscle knot release lounge seat stimulates surrounding tissue. The upper back rotating massage of the FX Rotational Jets eases the tension of the muscles along your neck and shoulders while the rifling action targets the smaller muscle groups of your legs and lower back.





**CONVENIENCE.** Sophisticated yet simple, our water management system is truly designed for ease of use and exceptional performance. Utilising CLEAR**RAY**® technology and up to five stages of water management, simply, Jacuzzi® brand technology makes it easy to maintain clean and clear water.

#### CLEARRAY® technology with PRO3TECT™ automatic oxidizer



Designed to work with UV CLEARRAY®, technology, automatically oxidizing impurities in the water.

Low-output ozone has minimal off-gassing and prolongs life of equipment longer than traditional ozone systems.

The CLEARRAY® Water management.

system offers clean and clear water. Using UV-C technology to neutralise waterborne pathogens and reduce the amount of sanitizer you use, maintaining clean, fresh, clear water has never been easier.

CLEAR**RAY**<sup>®</sup> comes standard on all models and requires a simple annual bulb change.

#### Multi-stage filtration

	MULTI-STAGE FILTRATION PROCESS						
	Pleated Filter	Surface Skimmer	ProCatch™ Filter Bag	ProClear™ Filter	ProClarity™ Filter	Performance Kit (sand filter)	
J-500™	✓	✓	✓	✓	✓		
J-400™	✓	✓	✓	✓	✓		
Design Collection	✓	✓				Upgrade optional	
J-LX <sup>®</sup>	✓	✓	✓	✓	Upgrade optional		
J-300™	✓	✓	✓	✓	Upgrade optional		

Up to five stages of filtration to ensure clear water to the finest particle for clean water quickly.

#### Water care



Ensure your Jacuzzi® hot tub operates at peak performance longer with Jacuzzi® genuine parts, accessories and water care products.

#### Covers



Your first line of defense in water care. From basic vinyl to premium PROLAST™ Covers, Jacuzzi® genuine hot tub covers retain heat and keep water cleaner.





To help you refine your search for the ideal hot tub to fit in with your life & home, take a look at the 'Wellness Summaries' over the next few pages. They give you a wonderful insight into the hot tubs, their characteristics and what sets them apart.

#### YOU WANT THE VERY BEST

You want to be able to control your hot tub in all situations. You want a tub as stylish as your home.

When design and technology is key.





The J-500™ LUXURY Collection See page 28







#### YOU WANT A TRUE WELLNESS EXPERIENCE

You want the ultimate sports recovery.
You need a big hot tub for a large family.
You want the best hydromassage.



You want the best hot tub for an outdoor space. You want to relax as a couple. A hot tub that can cater for children.



The J-300<sup>™</sup> COMFORT Collection See page 46



The J-200 "
CLASSIC Collection
See page 58





#### YOU WANT THE BEST FOR YOUR BUDGET

You enjoy socialising/have a large family.
You are looking at a hot tub for the first time.
You want a hot tub that can go through the doors of your home.





Built with your body in mind, the key to our hot tubs is harnessing aesthetic design with ergonomic style, then underpinning it all with a functionality that turns exceptional hydrotherapy into those 'must have' experiences that are uniquely Jacuzzi<sup>®</sup>.

The J-LX®
ENERGY EFFICIENT
Collection

See page 70





#### YOU JUDGE A HOT TUB BASED ON EFFICIENCY

You want to lower your running costs.
You love a clean edged finish.
You need a hot tub for outside in cold weather climates.



You want a versatile hot tub for inside or outside your home. When exclusive design is key for your home. Can be adapted to suit more intensive use.







The PROFESSIONAL Collection





#### I AM LOOKING FOR A LARGE HOT TUB FOR INTENSIVE USE

You need hot tubs designed to accommodate large groups.
You require a hot tub which

can be installed in ground. You need the best professional filtration systems.



You are looking to buy/ replace existing hot tubs? You are looking for a solution to make change over more efficient. You have a range of bedrooms to fulfil, I to 6 people.



The LODGE S, M & L Collection See page 108





#### The Collection







Combining innovative technology, ground-breaking design and legendary Jacuzzi® hydromassage, the J-500<sup>™</sup> Collection establishes a new standard in hot tub luxury.

BODY COVERAGE:	J-585™	<b>J-575™</b> Lounge
Cervical (Neck)	NX2	NX2
Dorsal (Back)	FX FX-R MX2 RX	FX FX-R MX2 RX
Lumbar (Back)	MX2	MX2
Hips	FX-D	FX-D
Palms/Wrists	PX	PX
Legs	FX FX-R	FX.R FX.R
Feet	EX-R MX2 EX-LR EX-S	FX-R MX2 FX-LR
SPECIALITY J-500™ POWERPRO MASSAGE ZONES SPECIALITY JETS	D® RX PX FX-D	









#### FEATURES IN THIS COLLECTION:



ProTouch™ Glass Control A simple and easy to use full colour, top

mounted, waterproof glass touch screen control panel.




Upgraded RX Therapy Seat with Exclusive FX-D Jet

The upgraded RX therapy seat includes a large directional hip jet for an advanced massage experience.



Curvalux<sup>™</sup> Designer Exterior

An innovative woven technology designed to match your garden furniture



Sleek Cushioned Headrests

Sleek cushioned headrests designed to maximise the comfort experience.



Watercolour<sup>™</sup> Waterfalls

Dual facing waterfalls, one of which is combined with a large rotational back jets for a focused massage experience.



**Integrated Corner Exterior** Lighting

Advanced and unique exterior lighting to set the ambiance in your garden.



ProEdge<sup>™</sup> Interior Lighting

360° fibreoptic technology which creates a complete environment of relaxation that can be tailored to your mood.



#### **ProLast**<sup>™</sup> Covers

Contemporary, stylish and 25% lighter than standard vinyl options. ProLast™ covers are UV resistant and offer the same level of durability you get from vinyl leatherette. ProLast™ Extreme is 33% denser and 25% thicker than standard with a tapered design for use is extreme weather climates offering the highest level of efficiency.



#### Bluewave® Stereo System

Wireless stereo system which can be controlled via the ProTouch™ control panel or via your mobile device for a great sound experience.

Comes with premium speakers and a built in sub-woofer for optimised sound.



#### 5-Stage Filtration

Ultimate filtration which can be set to suit your needs giving the best safest and purest water experience.



#### ProLink<sup>™</sup> App

A mobile technology app that gives you the flexibility to manage and take full control of you hot tub no matter where you are, meaning your hot tub is ready to use when you arrive home.




#### Quick Drain System

Ensures up to 50% faster, hassle free and more hygienic water change overs.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

#### In J-585<sup>™</sup> reflexology foot dome



- The J-500<sup>™</sup> reflexology experience comes in a variety of forms from a full (J-585<sup>™</sup>) to multiple half (J-575<sup>™</sup>) foot dome modules that provide an advanced foot massage.
- Positioned centrally in the footwell so that multiple users can benefit from this hydrotherapy massage feature no matter where you are sitting in the hot tub.
- This massage capability is ideal to help you unwind after a long day at work, a heavy workout or prolonged time on your feet.

#### In J-585<sup>™</sup> and J-575<sup>™</sup> Watercolour<sup>™</sup> waterfalls



- Dual facing waterfalls, combined with ProEdge<sup>™</sup> Interior Lighting provide a 360° fibreoptic experience which creates a complete environment of relaxation that can be tailored to your mood.
- The waterfalls create a relaxing head and neck massage to help unwind after a long day and work in harmony to provide an exceptional massage for the larger back muscles.

#### In J-575™ RX therapy full body lounger



- The J-575<sup>™</sup> lounger is a fully immersive experience with focused and deep tissue massage jets for your back and hips to softer less vigorous jet options for the back of your legs and feet.
- The lounger has been upgraded and debuts two large FX-Directional jets that create a kneading effect, which stimulates the muscle tissue in the hips for a superior massage experience.
- The J-575<sup>™</sup> hydrotherapy seat incorporates comfortable arms rests which also include advanced PX therapy jets for a pulsating wrist massage.



# J-585<sup>™</sup> **3**



The masterpiece in the collection has the most advanced technology within it visionary beauty.


















DOUBLE

WATERFALL FEATURE	MULTICOLOR	SYSTE	ProLink M APP
	TOTAL POWER	PRO® JETS:	46
	DRY	WEIGHT:	407 kg
	TOTAL FILLED	WEIGHT:	2.457 kg
	ELECTRICAL REQUI	REMENTS:	230-240 VAC 50Hz 32A
	TECHNICAL	DETAILS:	page   4



231 cm









Never just a hot tub, this is an iconic centrepiece with style and excellence woven in.











REVERSIBLE CONTROLS







WATERFALL **FEATURE** 

MULTICOLOR

 $\operatorname{ProLink}^{\operatorname{TM}}\operatorname{APP}$ 





231 cm









## J-400<sup>™</sup> DESIGNER

Offering you the ultimate wellness experience in a spacious environment with uncompromising performance. Music, lights and outstanding hydromassage combine effortlessly to deliver a truly unique experience.

BODY COVERAGE:	J-495™	<b>J-480<sup>™</sup></b> Lounge	J-470™	J-445™	<b>J-435<sup>™</sup></b> Lounge	J-425™	<b>J-415<sup>™</sup></b> Lounge
Cervical (Neck)				NX2			
Dorsal (Back)	FX FX-R MX2 RX					FX RX	
Lumbar (Back)	MX2 FX-LR FX-L	MX2 FX-LR	MX2 FX-LR FX-L	MX2	FX-LR	MX2 FX-LR FX-L	FX-LR
Hips							
Palms/Wrists		PX			PX		
Legs						1	
	FX-R	FX-R	FX		FX PX	FX	
Feet	FX-LR FX-S MX2 FX-R  FX-LR MX2 FX-R					FX-LR	
SPECIALITY MASSAGE ZONES	J-400™ POWERP SPECIALITY JETS	RO® FX-L	RX PX				





**J-495**<sup>™</sup> 229×279×104/116 cm

×6-7



**J-470**<sup>™</sup> 231×231×99/112 cm

×5-6



**J-480**<sup>™</sup> **Lounge** 239×239×99/112 cm



**J-445**<sup>™</sup> 213×213×91/109 cm

×4-5



**J-425**<sup>™</sup> 221×193×86/99 cm



**J-435<sup>™</sup> Lounge** 213×213×91/109 cm

×2-3



**J-415<sup>™</sup> Lounge** 193×168×91 cm





#### **FEATURES IN THIS COLLECTION:**




#### **ProTouch**<sup>™</sup> Control

A fully interactive multi-function control panel with a complete touch screen solution offering a variety of user settings to optimise performance and maintenance requirements.



#### Status Indicator Light

This feature situated on the front of the hot tub keeps you up to date with the performance so you have the confidence it will let you know when something needs servicing.



#### Speciality PowerPro® RX & PX Jets

Exclusive to the collection these jets offer a focused massage for the hands and wrists Ideal for after a long day at work.



#### Premium LED Lighting

Advanced ProLite® chromotherapy under water, cup holder and headrest lights allow you to set the ambiance for whatever the occasion.



#### Distinct High Back Design

Designed to give you a product look and feel that will subtly fit to your environment.



#### Adjustable, Backlit Headrests

Fully adjustable headrests designed to maximise the comfort including backlights.



#### 5-Stage Filtration

Ultimate filtration which can be set to suit your needs giving the best safest and purest water experience.



#### **Quick Drain System**


Ensures up to 50% faster, hassle free and more hygienic water change overs.





#### **ProLast<sup>™</sup> Covers**

Contemporary, stylish and 25% lighter than standard vinyl options. ProLast™ covers are UV resistant and offer the same level of durability you get from vinyl leatherette. ProLast™ Extreme is 33% denser and 25% thicker than standard with a tapered design for use is extreme weather climates offering the highest level of efficiency. Ask your retailer about ProLast™ Extreme.



#### Smartseal® Insulation

This environmentally friendly solution achieves up to 20% reduction in energy use, protects from moisture and reduces noise. Recommended for very cold climates



#### Bluewave® Stereo System

Wireless stereo system which can be controlled via the ProTouch™ control panel or via your mobile device for a great sound experience. Comes with premium speakers and a built in subwoofer for optimised sound



#### **ProLink**<sup>™</sup> Remote Monitoring

The Smartphone ProLink™ app used as a remote control allows you to take full control of your hot tub no matter where you are so that it is ready to use when you arrive home.

Options and features may vary from country to country, please ask your local retailer.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

#### In J-495<sup>™</sup>, J-480<sup>™</sup> and J-470<sup>™</sup> foot dome



- Advanced IX jets combined with chromotherapy lighting produces effervescent bubbles to give the best reflexology experience.
- Positioned centrally in the footwell so that multiple users can benefit from this hydrotherapy massage feature no matter where you are sitting in the hot tub.
- This massage capability is ideal to help you unwind after a long day at work, a heavy workout or prolonged time on your feet.

## J-495<sup>™</sup>, J-480<sup>™</sup>, J-470<sup>™</sup>, J-445<sup>™</sup> and J-435<sup>™</sup> EXTRA LARGE Watercolour<sup>™</sup> waterfall



- Extra large double waterfalls which act as a soothing water feature and as a relaxing head and neck massage to help unwind after a long day.
- This combined with large rotational jets for a focused back massage designed to release and sooth aches and pains.
- The chromotherapy lighting controlled via the ProTouch™ control panel allows you to set the scene and create an ambiance tailored to your needs or occasion.

#### J-480<sup>™</sup>, J-435<sup>™</sup> and J-415<sup>™</sup> full body massage lounger



- The J-400™ lounger is a fully immersive experience with focused and deep tissue massage jets for your back and hips to delicate and sensual blowers for the back of your legs and feet.
- Create that feeling of lying in bed in total relaxation in this custom hydromassage setting.

# J-495™



Jacuzzi.

The largest hot tub in our range and ideal for large families or groups of friends who enjoy socialising but also want the best massage, music and chromotherapy experience.



229 cm



REVERSIBLE CONTROLS











WATERFALL **FEATURE** 

MULTICOLOR

TOTAL POWERPRO® JETS:	62
DRY WEIGHT:	517 kg
TOTAL FILLED WEIGHT:	2.862 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 40A
SERVICE & AFTERCARE:	page 116
COLOURS & FINISHES:	page 126 - 129





104/116 cm



Jacuzzi

I-480<sup>th</sup>



Our flagship hydrotherapy hot tub designed to offer the ultimate in comfort and luxury, which caters for all audiences and family sizes.



99/112 cm













DOUBLE WATERFALL FEATURE

MULTICOLOR

STEREC SYSTEM

TOTAL POWERPRO® JETS:	52		
DRY WEIGHT:	454 kg		
TOTAL FILLED WEIGHT:	2.724 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A		
SERVICE & AFTERCARE: page     6			
COLOURS & FINISHES:	page 126 - 129		





### J-470<sup>th</sup>



Jacuzzi.)

Ultimate comfort and performance this all seater hydrotherapy hot tub also has a raised back with twin waterfalls incorporating an advanced rotational massage to help wash all the stresses of the day away.















MULTICOLOR



STEREO SYSTEM

TOTAL POWERPRO® JETS:	43		
DRY WEIGHT:	431 kg		
TOTAL FILLED WEIGHT:	2.549 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A		
SERVICE & AFTERCARE:	page 116		
COLOURS & FINISHES:	page 126 - 129		



23 I cm



### **|**-445<sup>™</sup>



The youngest of the J-400 $^{\text{m}}$  collection stands out for its new design and attention to detail. J-445 $^{\text{m}}$  benefits from a new heat management system for optimal efficiency and energy savings.







REVERSIBLE CONTROLS







**FEATURE** 



MULTICOLOR





TEREO



 $\mathsf{ProLink}^{\mathsf{TM}} \; \mathsf{APP}$ 

BTOTAL POWERPRO® JETS:	46
DRY WEIGHT:	281 kg
TOTAL FILLED WEIGHT:	1.996 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A
SERVICE & AFTERCARE:	page 117
COLOURS & FINISHES:	page 126 - 129



213 cm







Jacvzzi.

Lounge

J-435

Lounge



The new J-400  $^{\scriptscriptstyle{\mathrm{T}}}$  spa with lounge oozes perfection in every detail: it boasts a backlit waterfall and integrated cup holders, adjustable pillows and a multi-directional control panel, corner courtesy lights and easy inspection.















MULTICOLOR



TOTAL POWERPRO® JETS:	48		
DRY WEIGHT:	373 kg		
TOTAL FILLED WEIGHT:	2.037 kg		
ELECTRICAL REQUIREMENTS: 230 VAC 50Hz 20			
SERVICE & AFTERCARE:	RE: page 117		
COLOURS & FINISHES:	page 126 - 129		





91/109 cm



**Jacuzzi** 

J-425<sup>™</sup>



Our most advanced compact hydrotherapy hot tub, designed to go through double doors or into your garden building, an ideal solution for indoor or outdoor installations.





REVERSIBLE CONTROLS





DOUBLE WATERFALL



MULTICOLOR



STEREO SYSTEM







221 cr











# J-415<sup>TM</sup>



Compact without comprimising on features, this is the best small hydrotherapy hot tub. Ideal for patios, balconies and terraces.

















WATERFALL FEATURE

MULTICOLOR

STEREO SYSTEM

TOTAL POWERPRO® JETS:	21			
DRY WEIGHT:	265 kg			
TOTAL FILLED WEIGHT: 1.362 kg				
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 232A			
SERVICE & AFTERCARE:	page 117			
COLOURS & FINISHES:	page 126 - 129			













213×231×97 cm

213×231×97 cm



## $J-300^{\text{\tiny TM}}$

A new generation of enhanced and refined hot tubs, the J-300<sup>™</sup> range offers an improved hydromassage performance. PowerPro<sup>®</sup> Therapy seats deliver a more targeted and powerful jet for a deeper massage effect. In an array of fresh colours, you can choose a design to complement your environment.

	1	1	ı	I	1	1	ı	
BODY COVERAGE:	J-385™	J-375 <sup>™</sup> Lounge	J-365™	<b>J-355™</b> Lounge	J-345™	J-335 <sup>TM</sup> Lounge	J-325™	J-315 <sup>TM</sup> Lounge
Cervical (Neck)		•	IX2					
Dorsal (Back)			FX F	X-R MX2		de	FX	FX-R
Lumbar (Back)			MX2 FX	G-LR FX-L			FX-LR	FX-L
Hips								
Palms/Wrists								
_egs								
	F	x-R 3X	FX-R	FX-R BX	FX-R	FX-R BX	FX.R	FX.R EX.R
Feet			MX2 FX-S	FX-LR FX-R	·		FX-S FX	-LR FX-R
SPECIALITY MASSAGE ZONES	J-300™ POW SPECIALITY	ERPRO® JETS	BX FX-L					
<b>×</b> 6-7	♣ x5	5-6	× X	4-5	• ×	4-5	٠	×2-3
<b>J-385™</b> 231×231×97 cm	<b>J-375™ Lc</b> 231×231×9		<b>J-345™</b> 213x213x92 cm		<b>J-325™</b> 193×213:		<b>J-315™</b> 193×168	
J-365™	J-355™ Lc	ounge			J-335™ I	Lounge		

213x213x92 cm


## $J-300^{\text{\tiny TM}}$



#### FEATURES IN THIS COLLECTION:



Illuminated Advanced Control
A more advanced top side control
panel which can be adapted to suit your
maintenance needs with on demand
features and an easy to read interface.



Premium LED Lighting

Advanced ProLite™ chromotherapy under water, cup holder and headrest lights allow you to set the ambiance for whatever the occasion.



Speciality PowerPro® BX & FX-L Jets Exclusive to the collection these jets offer a more advanced lower back and leg massage perfect for recovery after a long day.



Reversible, Backlit Headrests
Reversible headrests offer different levels
of head and neck comfort and include
mood setting backlights.



**Smart Access Door**Ease of access to the internal components for quick and easy servicing.



**Illuminated cup holders**Your drink is always at hand with these practical and safe solutions to avoid spillage.



Smartseal® Insulation

This environmentally friendly solution achieves up to 20% reduction in energy use, protects from moisture and reduces noise. Recommended for very cold climates.

Also available without Smartseal®.



Watercolour™ Waterfall
Single waterfall combined with
chromotherapy technology gives a
relaxing neck massage.



4-Stage Filtration

Advanced filtration which can be set to suit your needs giving the best safest and purest water experience.



Bluewave® Stereo System

Wireless stereo system for a great sound experience. Comes with speakers and a remote control for optimised sound. Available also without Bluewave®.

#### **OPTIONAL FEATURES IN THIS COLLECTION:**



ProLast<sup>™</sup> Covers

Contemporary, stylish and 25% lighter than standard vinyl options. ProLast™ covers are UV resistant and offer the same level of durability you get from vinyl leatherette. ProLast™ Extreme is

33% denser and 25% thicker than standard with a tapered design for use is extreme weather climates offering the highest level of efficiency. Ask your retailer about ProLast™ Extreme.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

### In J-385<sup>™</sup>, J-365<sup>™</sup> and J-345<sup>™</sup> foot dome with exclusive IX Jet lighting



- The J-300™ reflexology experience comes in a variety of forms from full to multiple half foot dome modules that provide an advanced foot massage.
- Positioned centrally in the footwell so that multiple users can benefit from this hydrotherapy massage feature no matter where you are sitting in the hot tub.
- This massage capability is ideal to help you unwind after a long day at work, a heavy workout or prolonged timeon your feet.

In all J-300<sup>™</sup> models Watercolour<sup>™</sup> waterfall



- A waterfall which acts as a soothing water feature and as a relaxing head and neck massage to help unwind after a long day.
- This combined with large rotational jets for a focused back massage designed to release and sooth aches and pains.
- The Advanced ProLite<sup>™</sup> chromotherapy lighting allows you to set the scene and create an ambiance tailored to how your needs or occasion.

J-375<sup>™</sup>, J-355<sup>™</sup>, J-335<sup>™</sup> and J-315<sup>™</sup> full body massage lounger



- The J-300<sup>™</sup> lounger combines all the technology of the Jacuzzi<sup>®</sup> PowerPro<sup>®</sup> jet offering giving you a full body massage from head to toe
- A fully immersive experience with focused and deep tissue massage jets for your back and hips to softer less vigorous jet options for the back of your legs and feet.
- The lounger combined with speciality PowerPro® BX and FX-L Jets exclusive to the collection offer a more advanced lower back and leg massage perfect for recovery after a long day.





J-385<sup>™</sup>



The largest all seater hydrotherapy hot tub in the comfort collection. Great for socialising with all your friends and family.





PRO3TECT™



4 FILTERING LEVELS








WATERFALL FEATURE

STEREO RGB LED SYSTEM LIGHTING

TOTAL POWERPRO® JETS: 49			
DRY WEIGHT:	415 kg		
TOTAL FILLED WEIGHT:	2.610 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A		
SERVICE & AFTERCARE: page     8			
COLOURS & FINISHES:	page 126 - 129		









Jacvzzi

J-375™



Our largest hot tub in the J-300  $^{\text{TM}}$  collection complete with a lounger offering you a varied and fully immersive bathing experience ideal for a large family or for socialising with groups of friends.







**LEVELS** 







WATERFALL **FEATURE** 

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	50
DRY WEIGHT:	407 kg
TOTAL FILLED WEIGHT:	2.601 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A
SERVICE & AFTERCARE:	page 118
COLOURS & FINISHES:	page 126 - 129



231







# x6-7 Inc. child seat J-365 TM



A mid-sized spacious all seater social hot tub. The increased height gives more options for taller adults but doesn't forget about the rest of the family with a seat for everyone.







**LEVELS** 







WATERFALL STEREO **FEATURE** SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	44		
DRY WEIGHT:	394 kg		
TOTAL FILLED WEIGHT:	2.285 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A		
SERVICE & AFTERCARE:	page 118		
COLOURS & FINISHES:	page 126 - 129		













# J-355<sup>™</sup>



A mid-sized hot tub and the only product in our range to offer you two low height child seats great for young families.







**LEVELS** 



 $\mathsf{PRO3TECT}^\mathsf{TM}$ 





WATERFALL **FEATURE** 

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	42
DRY WEIGHT:	379 kg
TOTAL FILLED WEIGHT:	2.233 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A
SERVICE & AFTERCARE:	page 118
COLOURS & FINISHES:	page 126 - 129





x5-6 Inc. child seat J-345



An all seater social hot tub ideal for families and socialising including four hydrotherapy corner seats and a reflexology dome for your feet.









LEVELS







WATERFALL **FEATURE** 

STEREO SYSTEM LIGHTING

TOTAL POWERPRO® JETS:	39		
DRY WEIGHT: 374 kg			
TOTAL FILLED WEIGHT:	2.114 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A		
SERVICE & AFTERCARE:	page 119		
COLOURS & FINISHES:	page 126 - 129		















# J-335<sup>TM</sup>



Ideal for families and comes with a variety of deep and shallow seats with an open plan foot well making this spa especially suitable for younger children.







**LEVELS** 








WATERFALL **FEATURE** 

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	40	
DRY WEIGHT:	342 kg	
TOTAL FILLED WEIGHT: 2.044 kg		
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A	
SERVICE & AFTERCARE:	page 119	
COLOURS & FINISHES:	page 126 - 129	













J-325<sup>™</sup>



A compact hot tub that will fit through most household double doors into a conservatory or garden building.





PRO3TECT™



LEVELS







WATERFALL **FEATURE** 

STEREO SYSTEM LIGHTING

TOTAL POWERPRO® JETS:	21
DRY WEIGHT:	312 kg
TOTAL FILLED WEIGHT:	1.976 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A
SERVICE & AFTERCARE:	page 119
COLOURS & FINISHES:	page 126 - 129













# J-315<sup>™</sup> 15<sup>™</sup>



A compact 2 to 3 seater hot tub ideal for small spaces, patios, terraces and balconies. this hot tub is great for couples and offers all the luxuries and technology of the larger products in this collection.







LEVELS







WATERFALL **FEATURE** 

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	21
DRY WEIGHT:	259 kg
TOTAL FILLED WEIGHT:	1.318 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A
SERVICE & AFTERCARE:	page 119
COLOURS & FINISHES:	page 126 - 129











## J-200<sup>™</sup> CLASSIC

When it comes to value, quality and reliability the J-200 $^{\text{m}}$  range is the ultimate choice. It has the performance and style synonymous with Jacuzzi $^{\text{m}}$ , and is the ideal introduction to the many benefits of hydrotherapy that its classic jets can deliver.

BODY COVERAGE:	J-280 <sup>™</sup>	<b>J-275<sup>™</sup></b> Lounge	J-245™	<b>J-235<sup>™</sup></b> Lounge	J-225™	<b>J-215<sup>™</sup></b> Lounge	J-210™
Cervical (Neck)							
Dorsal (Back)	L D R E		L T D R E M		L T D R	L T	L M
Lumbar (Back)	R E		R	M		M	M
Hips							
Palms/Wrists							
Legs							
Feet		P		P		P	
Teet		L	E		L	L	L
	CLASSIC MASSAGE ZONE	D DIRECT		DTATIONAL JETS IRBO JETS	L LUXURY J		o jets Sator jets
& ×6-7	,		<b>×</b> 6		×4-5	*	×2-3
<b>J-280™</b> 229×229×94 cm	<b>J-275™ Loung</b> 229×229×94 cr		<b> -235™ Lounge</b> 214x214x92 cm	19:	<b>J-225™</b> 3×210×87 cm	<b>J-215</b> <sup>†</sup> 163×1	<sup>™</sup> <b>Lounge</b> 98x81 cm
<b>J-245™</b> 214×214×92 cm				Ø	<b>J-210™</b> 198×92 cm		

#### Jacvzzi.)

### J-200 CLASSIC

#### **FEATURES IN THIS COLLECTION:**

maintenance.



**Standard Control Panel**Easy to use single button control panel with pre-set programs for hassle free



Premium LED Lighting
The LED lights allow you to set the ambiance for whatever the occasion from fun to relaxation.



Classic Jets
High quality standard Jacuzzi® jets offer a great hydrotherapy and massage experience designed for all audiences.



**Comfortable Headrests**The soft headrests maximise comfort to ensure relaxation.



Classic Foot Massage Specially designed hydrotherapy foot domes offer a classic refl exology experience, a great solution for ecovering after a long day on your feet.



**Built-in Drink Holders** Your drink is always at hand with these practical and safe solutions to avoid spillage.



**2-Stage Filtration**Optimum easy and hassle free pre-programmed filtration.




**Classic Waterfall**The waterfall feature gives a relaxing neck massage or an ambiant water sound.

#### **OPTIONAL FEATURES IN THIS COLLECTION:**



**Bluewave® Stereo System**Wireless stereo system for a great sound experience. Comes with speakers and a remote control for optimised sound.

Available also without Bluewave®.



Insulation
This solution reduces energy use, protects against humidity and reduces noise.
Recommended for very cold climates.
Also available without J-200™.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

### In all J-200™ models Classic performance



The J-200<sup>™</sup> collection offers a complete hydromassage experience tried and tested with classic Jacuzzi<sup>®</sup> Jet technology.

- The classic jets are positioned and configured around the hot tubs to provide a variety of hydromassage variables giving you a complete massage solution.
- Added to these jets is a singe waterfall feature which gives a relaxing neck massage.

#### In all J-200<sup>™</sup> models Optimum comfort



- Enhanced comfort with ergonomically-designed seating, incorporating LED lighting both above and below the water.
- This combined with specially designed and repositionable headrests for maximising comfort.

#### In all J-200™ models Ease of use



- The easy to use single button control panel with pre-set programs provides a hassle free maintenance package.
- This is paired with advanced 2-stage filtration including a top loading filter system, which makes for one of the most practical and simple hot tub experiences on the market today.







Complete relaxations is assured in the largest and deepest hot tub in the range.









LEVELS





STEREO

SYSTEM



WATERFALL FEATURE

LIGHTING

TOTAL POWERPRO® JETS:	44
DRY WEIGHT:	401 kg
TOTAL FILLED WEIGHT:	2.558 kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A-30A
SERVICE & AFTERCARE:	page 120
COLOURS & FINISHES:	page 126 - 129













J-275™



From fun times to serene retreats, the lounge and seat configuration are always inviting.







LEVELS







WATERFALL FEATURE

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	45		
DRY WEIGHT: 366 kg			
TOTAL FILLED WEIGHT:	2.371 kg		
ELECTRICAL REQUIREMENTS:	: 230 VAC 50Hz 20A-30A		
SERVICE & AFTERCARE:	page 120		
COLOURS & FINISHES:	page 126 - 129		







# J-245™



Ideal for families of 6-7 people especially with older children or as a great social hot tub for adults.









LEVELS







WATERFALL FEATURE

STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	35		
DRY WEIGHT: 375 kg			
TOTAL FILLED WEIGHT: 2.153 kg			
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A-30A		
SERVICE & AFTERCARE: page   20			
COLOURS & FINISHES:	page 126 - 129		















A family hot tub with a lounger for fun and relaxation.











SYSTEM



WATERFALL FEATURE

LIGHTING

TOTAL POWERPRO® JETS: 35		
DRY WEIGHT: 326 kg		
TOTAL FILLED WEIGHT:	2.066 kg	
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A-30A	
SERVICE & AFTERCARE:	SERVICE & AFTERCARE: page   20	
COLOURS & FINISHES:	page 126 - 129	





# x4-5 J-225™ №



Ideal for patios or small spaces, this value model accommodates up to five adults and offers a pivot bench seat for flexibility and comfort.





87 cm



PRO3TECT™











WATERFALL **FEATURE** 


STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	23
DRY WEIGHT:	255 kg
TOTAL FILLED WEIGHT:	1.914kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A/30A
SERVICE & AFTERCARE:	page 121
COLOURS & FINISHES:	page 126 - 129













J-215™



This value model is perfect for patios or small spaces, featuring a full-body lounge and side-by-side seating that accommodates up to three adults.















WATERFALL **FEATURE** 


STEREO SYSTEM

LIGHTING

TOTAL POWERPRO® JETS:	19
DRY WEIGHT:	223 kg
TOTAL FILLED WEIGHT:	1.261kg
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A/30A
SERVICE & AFTERCARE:	page 121
COLOURS & FINISHES:	page 126 - 129









# x4-5 J-2 | 0<sup>™</sup>



A compact space saving hot tub for 4 people ideal in small spaces, patios, balconies or terraces.







TOTAL POWERPRO® JETS:	19		
DRY WEIGHT: 239 kg			
TOTAL FILLED WEIGHT: 1.412 kg			
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A/30A		
SERVICE & AFTERCARE:	page  2		
COLOURS & FINISHES:	page 126 - 129		









#### The Collection





The flat top rail minimalist design of the  $J-LX^{\otimes}$  Collection not only looks good, but is engineered to exceed energy efficiency standards.

BODY COVERAGE:	<b>J-LXL</b> ® Lounge
Cervical (Neck)	NX2
Dorsal (Back)	FX FX-R MX2 RX
Lumbar (Back)	MX2 FX-LR FX-L
Hips	
Palms/Wrists	
Legs	FX FX-R
Feet	MX2 FX-S FX-R FX
SPECIALITY J-LX® POWER SPECIALITY JE	PRO® ETS







#### FEATURES IN THIS COLLECTION:



Illuminated Advanced Control A more advanced top side control

panel which can be adapted to suit your maintenance needs with on demand features and an easy to read interface.



Mood Lighting

Filtered LED lighting for a subtle yet exquisite feature allowing you to set the ambiance for whatever the occasion from fun to relaxation.



Energy Efficient Performance

The collection is made with 1.5" of high density heat retaining backing in conjunction with our full foam insulation resulting in the most energy efficient hot tub in its class.



Integrated Waterfall

Sleek integrated waterfall with LED lighting offering a contemporary minimalist neck massage.



Patented Top Deck Design

Exclusive patented flat deck design surface unlike any other hot tub creating a minimalist look, while the stainless steel adds a crisp accent to the cabinet corners.



Comfortable Headrests

The I-LX® headrests maximise comfort to ensure relaxation.



Speciality RX Jets

The RX Jet is a large directional dorsal/ back jet for an advanced and intensive massage experience.



4-Stage Filtration

Advanced filtration which can be set to suit your needs combined with Jacuzzi® ClearRay® PROTECT ™ technology giving the best, safest and purest water experience.



#### Bluewave® Stereo System

Wireless stereo system which can be controlled via remote or your mobile for a great sound experience. Comes with optional premium speakers and a built in sub-woofer for optimised sound.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

In J-LXL® hydromassage performance



- The J-LXL® Collection delivers exclusive massage options with the bold PowerPro® MX2 Jet and spinning PowerPro® RX Jet, which are not available in the J-300 $^{\text{\tiny M}}$  or J-200 $^{\text{\tiny M}}$  Collections.
- The integrated waterfall feature allows the J-LX® to provide a relaxing and indulgent neck massage, combined with an exclusive patented flat surface. and the steel detail in the outer corners give it a high contemporary design.

In J-LXL® energy efficient





• These hot tubs exceed energy efficiency standards without impacting upon the hydromassage performance, thanks to 1.5" of high density heat retaining backing paired with full foam insulation resulting in the most energy efficient hot tub in its class.

#### In J-LXL® best in class accessories



 ProSteps<sup>™</sup> are built to match the hot tubs cabinetry and feature a handrail for easy entry and exit with an integrated storage compartment.













The most energy efficient tub in its class. This contemporary design works really well in a modern city or new housing environment.









ENERGY EFFICIENCY

4 FILTERING LEVELS



FEATURE





STEREO SYSTEM

RGB LED LIGHTING

TOTAL POWERPRO® JETS:	38		
DRY WEIGHT:	DRY WEIGHT: 406 kg		
TOTAL FILLED WEIGHT:	2.298 kg		
ELECTRICAL REQUIREMENTS:	230-240 VAC 50Hz 32A		
SERVICE & AFTERCARE:	page 115		
COLOURS & FINISHES:	page 126 - 129		











## DESIGN

A symphony of form and function, this beautifully crafted collection blends the very best of Italian design and cutting edge wellness technology. Once inside your Design Collection hot tub, you can indulge in the ultimate hydrotherapy massage – on the outside the customisable panels will blend your new home addition seamlessly into any room setting.

BODY COVERAGE:	Virtus™	<b>Profile</b> Lounge	Santorini 2 Lounge	<b>Delos</b> Lounge	<b>Delfi</b> Lounge	Flow Lounge	<b>City<sup>™</sup> SPA</b> Lounge	<b>Unique</b> Lounge
Cervical (Neck)	ВХ				NX2			
Dorsal (Back)	NX2 FX MX2 FX-LR RX PX	٣	FX 1X2 RX			FX RX		
Lumbar (Back)	FX	MX2	FX-LR	FX	-LR			FX-LR
Hips	FX-LR							
Palms/Wrists	PX							
Legs	FX-LR NX2 PX BX		FX		4		FX BX	FX-R
Feet	PX FX-LR	FX-LR FX-S	MX2 FX-R			FX-LR FX-S FX-	R	







#### THE ALIMIA HOT TUB HAS CLASSIC JETS



**Virtus™** 250×215×93 cm



×5-6

**Profile** 239×215×93 cm



**♣** x5



Santorini 230×215×90 cm



**x**4

**Delos** 215×190×80 cm



**Delfi** 190×190×80 cm





**Unique** 190×150×80 cm



**x**2

Flow 200×200×81 cm



**City<sup>™</sup> SPA** 160×150×75 cm



## DESIGN

#### FEATURES IN THIS COLLECTION:



Standard Control Panel

This LCD designer top side control panel is compact and easy to use with preset programs allowing for a hassle free experience. Except Virtus™



Premium LED Lighting

Speciality multicolour LED lights are designed to allow you to set the ambiance to suit your environment and create that balance between your home and your occasion.



Design & Finishes

Above or below ground, with or without panels this range is developed and designed to be used indoors or outdoors more like a piece of furniture which is customisable to fit the design of your



Sleek Inte grated Waterfall

A contemporary minimalist waterfall which provides a relaxing hydrotherapy



Hydrotherapy Seating

Each speciality seat offers a unique point of difference and is designed to create a true 'wellness path'.



Insulated Cover

A heavy duty, lockable and insulted vinyl leatherette cover to prevent any misuse or heat loss whilst not in use.



Speciality Blowers

An advanced air technology which offers a softer massage experience. Not available for City Spa, Flow or Alimia.



Freestanding or In-ground Installations

Designed to offer you a complete and flexible installation solution either above or in-ground.



2-Stage Filtration

Optimum easy and hassle free pre-programmed filtration.



#### Aromatherapy

Concealed aromatherapy beads letting you relax in the aroma of your choice.



#### Wireless Audio System

Wireless audio system which can be controlled via remote for a great sound experience.





Winterpro Kit

An advanced insulation which improves performance efficiencies in

CLEARRAY® PRO3TECT State-of-the-art technology that sanitizes the water through the use of ultraviolet light.



Options and features may vary from country to country, please ask your local retailer.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

#### Seats VIRTUS™





The seven seats have increasing tilt and depth, offering targeted and complete hydrotherapy and they are suitable to anyone, even children. The overflow edge and the compensation system keep the water always at the same level, without the need to refill the Spa.


#### VIRTUS™ filtering system





VIRTUS™ is equipped with an integrated polymer filter, a feature that is a first for a freestanding Spa. It is an improvement that makes the installation easier and more convenient, not needing to arrange external technical compartments. Combined with the Jacuzzi® EcoHeat™ pump the electricity savings are guaranteed and with Jacuzzi® CoolPower™ the water temperature can be set as low as 10°C, perfect for hot climates and for after-training recovery.

#### Unique e City™ SPA Customisable to your needs



- Elegant, minimalist and refined, these hot tubs are designed to be perfectly in line with the latest trends.
- You can dress and style the exterior panelling with the materials of your choice to perfectly co-ordinate with your home environment.
- These hot tubs give the greatest possible freedom of installation: outdoors or indoors, above or in-ground, in any environment or situation.









# Lounge TM design Dodo Arslan e Jacuzzi® Design

This new Spa dedicated to the hospitality field is the perfect space to share a moment of wellness, have fun together and free your mind.











PRO3TECT™

QUICK DRAIN® MULTICOLOR

ECO SHIELD

TOTAL POWERPRO® JETS:	50
DRY WEIGHT:	410 kg
TOTAL FILLED WEIGHT:	2.450 kg
ELECTRICAL REQUIREMENTS:	220-240 V F+N 50Hz - 32A 380-415 V 3F+N 50 Hz - 16 A
SERVICE & AFTERCARE:	page 122
COLOURS & FINISHES:	page 126 - 129











## Profile design Jacuzzi® Design

An infinity swimming pool effect with automatic water levelling technology, which refills the hot tub when water is lost through use and evaporation, a truly unique and beautiful design.



239 cm









2 FILTERING **LEVELS** 

MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	31
DRY WEIGHT:	400 kg
TOTAL FILLED WEIGHT:	2.510 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 122
COLOURS & FINISHES:	page 126 - 129



Image shown features an in-ground installation. 82







## Santorini Pro, Pro Sound

The only hot tub in the range with a double lounger, a wide rim for ease of access and customised large headrests for added comfort.















MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	29
DRY WEIGHT:	300 kg
TOTAL FILLED WEIGHT:	2.100 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 122
COLOURS & FINISHES:	page 126 - 129















## Delos, Pro, Pro Sound design Kaluderovic & Condini

Contemporary minimalist design with a wider rim for easy access combined with comfortable headrests which can used as cushioned seating.













**FEATURE** 

MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	16
DRY WEIGHT:	250 kg
TOTAL FILLED WEIGHT:	1.390 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 122
COLOURS & FINISHES:	page 126 - 129















## Delfi, Pro, Pro Sound design Kaluderovic & Condini

Ideal for small spaces, patios, terraces and balconies - whilst still delivering a perfect blend of contemporary design and comfort.













**FEATURE** 

MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	16
DRY WEIGHT:	270 kg
TOTAL FILLED WEIGHT:	1.440 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 123
COLOURS & FINISHES:	page 126 - 129











90 cm






## Flow

design

The masterpiece of the Design Collection collection, a true work of art which is designed exclusively to be used indoors. the perimeter cushioning makes this hot tub a contemporary piece of furniture for your home.







PRO3TECT™

86



WIRELESS






WATERFALL FEATURE

MULTICOLOR

TOTAL POWERPRO® JETS:	20		
DRY WEIGHT:	300 kg		
TOTAL FILLED WEIGHT:	870 kg		
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz		
SERVICE & AFTERCARE:	page 123		
COLOURS & FINISHES:	page 126 - 129		













# x2 So cm City SPA

design Kaluderovic & Condini

For when functionality needs to fit a compact environment and is ideal for couples to bathe sideby-side as a solution for balconies, terraces and small patios.











LEAR <b>RAY</b> ®	Α
RO3TECT™	

WIRELESS

FEATURE

MULTICOLOR

TOTAL POWERPRO® JETS:	20
DRY WEIGHT:	220 kg
TOTAL FILLED WEIGHT:	790 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 123
COLOURS & FINISHES:	page 126 - 129















## Unique design Carlo Urbinati

The ideal design for any kind of environment thanks to its customisable panels, this hot tub offers side-byside bathing and is ideal for couples - perfect for small patios, terraces or balconies.







WIRELESS





MULTICOLOR FEATURE

TOTAL POWERPRO® JETS:	14
DRY WEIGHT:	240 kg
TOTAL FILLED WEIGHT:	1.270 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 123
COLOURS & FINISHES:	page 126 - 129















## Alimia

A large circular hot tub with an encompassed hydrotherapy solution ideal for couples and small families.











FEATURE

MULTICOLOR AROMATHERAPY


TOTAL POWERPRO® JETS:	34 Classic jets
DRY WEIGHT:	290 kg
TOTAL FILLED WEIGHT:	1.940 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60Hz
SERVICE & AFTERCARE:	page 123
COLOURS & FINISHES:	page 126 - 129














the Jacuzzi<sup>®</sup> brand has become synonymous with leisure in many ways and we are constantly developing commercial focused units that look stunning and can maintain their performance through heavy use.
















For providing that ultimate escape.







For a haven people will want to visit time and again.





For that unrivalled statement.





## PROFESSIONAL

Beautiful and elegant, the Professional range is suitable for intensive use in a wide range of commercial applications including holiday homes, wellness centres, golf clubs, small leisure clubs and yachts.

BODY COVERAGE:	Virtus <sup>™</sup> Pro	Sienna	Virginia Lounge	Alimia	<b>Enjoy</b> Lounge	Profile Pro Lounge	Lodge L Lounge	Lodge M	Lodge S
Cervical (Neck)	BX			NX2				D	
Dorsal (Back)	NX2 FX MX2 FX-LR RX PX		FX		FX M	X2 RX	<b>L</b>	M	L D
Lumbar (Back)	FX		FX-L		FX-LR MX2	FX-LR MX2		Ψ)	
Hips	FX-LR								
Palms/Wrist	PX								
Legs	PX BX			FX				Р	
Feet	PX FX-LR				FX-LR	MX2		L	

POWERPRO® SPECIALITY JETS





LODGE L, M AND S HAVE CLASSIC JETS, COMBINED WITH OPTIONAL BLOWERS









**Sienna** 219×257×98 cm





Virginia Lounge 219×257×98 cm



**Virtus<sup>™</sup> Pro** 250×215×93 cm





Enjoy Lounge 250×250×98 cm



**Alimia**Ø 237x98 cm





Profile Pro Lounge 211/215×235/93 cm



Lodge L Lounge

×4-5



**Lodge M** 185×200×90 cm



×2-3

Lodge S Lounge



## PROFESSIONAL

#### **FEATURES IN THIS COLLECTION:**



#### Control Buttons

Different from all our other hot tub control panels, the professional top side is designed to offer customised commercial performance. either pneumatic or piezoelectric they are installed close to the hot tub rim and designed to be easy to use with pre-set programs allowing for a hassle free experience.



#### PowerPro® Jets

Patented Jacuzzi® PowerPro® Jets offer the most superior and advanced hydrotherapy experience combined with speciality blower air technology which offers a softer massage experience.



#### Design & Finishes

This range is developed and designed to be used indoors or outdoors within an in-ground situation in commercial or professional hospitality environments.




#### Premium LED Lighting

Filtered LED lighting for a subtle yet exquisite feature allowing you to set the ambiance for whatever the environment from fun to relaxation.



#### Deep Immersion Seating

Strategically positioned jets in every seat offers a unique point of difference, whilst deep immersion ensures the entire body is submerged for complete relaxation.



#### Integrated Steps & Child Seating

Designed for all guests and users from adults to children to ensure maximum comfort and safety.



#### Insulated Cover

A heavy duty, lockable and insulted vinyl leatherette cover to prevent any misuse or heat loss whilst not in use.



#### Aromatherapy

Concealed aromatherapy beads letting your guests relax in the aroma of their choice.

Only with blower versions



#### Complete Drain System

Ensures up to 50% faster, hassle free and more hygienic water change overs.



#### Low noise

The hot tub's technical parts and pumps are separated from the shell. This detached position greatly reduces noise, making the hot tub quieter and more enjoyable to use for an even more unique and precious wellness experience.

#### **OPTIONAL FEATURES IN THIS COLLECTION:**

#### Booster Kit

A completely automated system for disinfection and PH control with additional filtering and downloadable reports.

#### Heat Exchanger



A heat exchanger is an inexpensive, green solution that exploits the heat produced by your facility's heating system or renewable energy source.

#### Ozone generator

Designed to increase water clarity and quality in order to comply with legislation in commercial environments.

#### Compensation Tank

Separate water filtration tanks work in harmony with the 15 degree angled overflow allows for effective water recycling and circulation for content water maintenance ensuring a clean bathing environment.

Options and features may vary from country to country, please ask your local retailer.




#### **EXCLUSIVE FEATURES IN THIS COLLECTION**

#### In Enjoy, Virginia, Sienna, Alimia, Profile Pro and Virtus™ Pro Overflow rim & automatic water fill



A distinctive feature of the Professional range and Profile Pro is the 15° angled overflow gird around the surface of the hot tub. It collects surface water, which overflows through the grid to a compensation tank. The water is then moved through a filtration system, cleaned and pumped back into the base of the hot tub to be re-used. Thanks to the slant of the grid the water remains at spa deck level even if there is a rocking motion, so they can be installed on yachts and ships.


## In Enjoy, Virginia, Sienna, Alimia, Profile Pro and Virtus™ Pro In-ground inst allation



Different to a domestic hot tub, installation is in-ground and involves installing a separate spa-pack and compensation tank to allow water to continuously move through a quartz sand filter where it is cleaned before flowing back into the tub for re-use.

Only Profile Pro can be installed freestanding with the adjacent spa pack.

## In Enjoy, Virginia, Sienna, Alimia, Profile Pro and Virtus™ Pro Sand filter (spa-pack) & compensation tank



The professional spa pack includes:


- Sand Filter (sand included)
- Set of pumps (hydromassage, circulation and blower compressor)
- With or without heating (electric heater or heat exchanger)
- Control system
- Compensation tank is available in a standard or low height. Profile Pro features integrated tanks.



## SPA-PACK


The Professional hot tubs baths are also distinguished by the very low noise level of the system. the Jacuzzi® technicians have in fact designed the set of pumps, the water heating system consisting of the electric heater and of the heatexchangers, the compressors for the blowers and an optional ozonizer (indispensable to further increase water quality) in an independent technical compartment (Spa-Pack) that can positioned at a distance of up to 6 metres.

Thanks to superior quality filtering, the quartz sand filter makes these hot tubs ideal for professional use. the filtered water flows back to the hot tub through the ground drainage point: this method, as well as offering the visual effect of an "underwater fountain", sends the particles deposited at the bottom of the hot tub into circulation making them more likely to be captured by the jets that send the water to the filter. Although it is technically complex, the system is easy to manage even by home users by means of pneumatically controlled buttons.



#### Spa and piping system

- I Overflow channel with grid
- 2 Pneumatic buttons
- 3 Connections to plumbing
- 4 Perimeter metal supports




#### Spa-Pack


- 5 Electric wiring box
- 6 Optional:
- 6a Heater (12 kW)
- 6b Heat exchanger
- 7 Hydromassage pumps (2+2 hp)
- 8 Filtering pump
- 9 Filtro a sabbia quarzifera
- 10 Safety switch
- II Temperature sensor


#### Compensation tank


- 12 Water loading/filling solenoid valve (3/4")
- 13 Pre-filters
- 14 Overflow
- 15 Ground drainage points












#### Booster Kit

Professional water analysis and control system. A completely automated system for disinfection and PH control with additional filtering section and downloadable reports.





## LODGE

#### FEATURES IN THIS COLLECTION:



LED Control Panel

Even in the dark, Lodge's controls are simple and user-friendly, courtesy of the display panel with its luminous frame. the system allows you to restrict your guest's functions to hydromassage and rainbow.



Premium LED Lighting

Filtered LeD lighting for a subtle yet exquisite feature allowing you to set the ambiance for whatever the environment from fun to relaxation.



Above or In-ground Installation

This range is developed to be used outdoors freestanding or in an in-ground situation in commercial or professional environments.



Integrated Steps & Child Seating

Designed for all guests and users from adults to children to ensure maximum comfort and safety.



90cm in Height

The range is developed to be easy to access creating a safer bathing experience for your guests.



Insulated Cover

A heavy duty, lockable and insulted vinyl leatherette cover to prevent any misuse or heat loss whilst not in use.

#### **OPTIONAL FEATURES IN THIS COLLECTION:**



#### Performance Kit

The performance kit has a sand filter and a pump installed outside the spa. Designed for intensive use the only maintenance required consists of periodically replacing the sand.



An advanced foam insulation which improves performance efficiencies in colder weather climates and environments.

#### Heat Plus

The Lodge hot tubs come standard with a 2kW (s and m) or 3kW (L) heaters, which can be upgraded for even quicker heating performance with an optional 6kW (3+3) heater to the 2kW one.



#### CLEARRAY® PRO3TECT™

state-of-the-art technology that sanitizes the water through the use of ultraviolet light.

#### Heat Exchanger




A heat exchanger is an inexpensive, green solution that exploits the heat produced by your facilities heating system or renewable energy source.



#### **EXCLUSIVE FEATURES IN THIS COLLECTION**


#### Complete & Quick Drain®



All the water is emptied out of the spa through a drain located in the base. This prevents stagnant water and allows you to thoroughly clean the hot tub during change overs for your next guests.

The Quick Drain® device reduces drain times by up to 50% compared to standard hose pipes or submersible pumps.

#### Heater or heat exchanger



The Lodge range can be fitted with an upgraded electric heater or a heat exchanger, which is an inexpensive, green solution that exploits the heat produced by your facility's heating system or by renewable sources. To shorten heating time even further you can use the heat plus option in

addition to the standard heater.

For an even greener, more efficient and cost-effective choice this range can also be fitted with an Eco Heat pump that transfers ambient heat to the water.

#### Optional sand filtration



Optional sand filtration gives long standing assurance of hygiene and cleanliness because it traps the impurities in the water. It is easy to remove, must be cleaned on a regular basis and replaced when necessary.

#### The Jacuzzi Cool Pump ensures that your SPA water is just the right temperature at all times



Even when it's really hot, this hydromassage cooling system makes sure that the temperature of the water in your hot tub is nothing short of perfect.





# Enjoy design Kalud

design Kaluderovic & Condini

A large spa designed for use in public areas within hotels, swimming pools and wellness environments. Complete with a lounger this spa really offers your guests a full wellness journey.













MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	38 Top + 18 Base
DRY WEIGHT:	250 kg
TOTAL FILLED WEIGHT:	2.350 kg
ELECTRICAL REQUIREMENTS:	EU: 380/415 3F+N 220/240V F+N
SERVICE & AFTERCARE:	page 124
COLOURS & FINISHES:	page 126 - 129







#### Jacvzzi

A large commercial spa ideal for installation in public wellness environments. The practical corner entry steps ensure a safe, considerate and unobtrusive bathing experience.



257 cm









MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	34
DRY WEIGHT:	250 kg
TOTAL FILLED WEIGHT:	2.350 kg
ELECTRICAL REQUIREMENTS:	EU: 380/415 3F+N 220/240V F+N
SERVICE & AFTERCARE:	page 124
COLOURS & FINISHES:	page 126 - 129



Porto Cervo Yacht Village, Italy

#### (Jacvzzi

## ×7-8 Sienna

Our largest all seater commercial spa, designed for use in public environments and ideal for large groups. spacious and comfortable this spa allows multiple users to relax and enjoy what a true spa experience should be.













MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	30
DRY WEIGHT:	200 kg
TOTAL FILLED WEIGHT:	1.960 kg
ELECTRICAL REQUIREMENTS:	EU: 380/415 3F+N 220/240V F+N
SERVICE & AFTERCARE:	page 124
COLOURS & FINISHES:	page 126 - 129







## Alimia

The circular shape surpasses the concept of design. Roomy and comfortable, it is loved above all by those who consider physical wellness and intimacy of the same importance.



386 %

Ø 237 cm









SAND FILTER

LOW NOISE

MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	28
DRY WEIGHT:	180 kg
TOTAL FILLED WEIGHT:	1.840 kg
ELECTRICAL REQUIREMENTS:	EU: 380/415 3F+N 220/240V F+N
SERVICE & AFTERCARE:	page 124
COLOURS & FINISHES:	page 126 - 129









## Profile Pro

An affinity swimming pool effect with automatic water levelling technology, which refills the hot tub when water is lost through use of evaporation.

Our only commercial spa which can installed above or below the ground.



235/239 cm









SAND FILTER

LOW NOISE

MULTICOLOR AROMATHERAPY

TOTAL POWERPRO® JETS:	31
DRY WEIGHT:	350 kg
TOTAL FILLED WEIGHT:	2.460 kg
ELECTRICAL REQUIREMENTS:	EU: 380/415 3F+N 220/240V F+N
SERVICE & AFTERCARE:	page 125
COLOURS & FINISHES:	page 126 - 129



Image shown is a portable installation.







## Virtus Pro design Dodo Arslan e Jacuzzi® Design

Inspired by the Nautilus seashell, the shell appears to be molded by water and it has a spiral shape that guarantees a quick and complete draining when emptied, avoiding stagnation.













PRO3TECT™

QUICK DRAIN® MULTICOLOR

TOTAL POWERPRO® JETS:	50
DRY WEIGHT:	410 kg
TOTAL FILLED WEIGHT:	2.480 kg
ELECTRICAL REQUIREMENTS:	220-240 V F+N 50Hz - 32A 380-415 V 3F+N 50 Hz - 16 A
SERVICE & AFTERCARE:	page 125
COLOURS & FINISHES:	page 126 - 129













# Lodge Lounge

5 seats provide a comfortable place for your guests to sit and relax whilst an additional lounge seat allows another guest to fully immerse themselves in the water, Lodge L is ideal for larger holiday homes.












QUICK DRAIN® MULTICOLOR

TOTAL POWERPRO® JETS:	24 Hydro + 14 Blower
DRY WEIGHT:	348 kg
TOTAL FILLED WEIGHT:	2.168 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60 Hz
SERVICE & AFTERCARE:	page 125
COLOURS & FINISHES:	page 126 - 129











# Lodge M

With seating for 4 to 5 people, Lodge M is an ideal addition to any medium sized holiday home and features ergonomic seating, which provides a comfortable place for your guests to sit.





 $\mathsf{PRO3TECT}^\mathsf{TM}$ 





QUICK DRAIN® MULTICOLOR

TOTAL POWERPRO® JETS:	20 Hydro + I2 Blower
DRY WEIGHT:	260 kg
TOTAL FILLED WEIGHT:	1.360 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60 Hz
SERVICE & AFTERCARE:	page 125
COLOURS & FINISHES:	page 126 - 129











Ideal for smaller holiday homes, Lodge S provides seating for 2 to 3 adults.

2 ergonomic seats allows your guests to sit in comfort whilst a third lounge seat provides a place for another guest to fully immerse their body.











QUICK DRAIN® MULTICOLOR

TOTAL POWERPRO® JETS:	16 Idro + 10 Blower
DRY WEIGHT:	245 kg
TOTAL FILLED WEIGHT:	1.195 kg
ELECTRICAL REQUIREMENTS:	220-240 VAC 50/60 Hz
SERVICE & AFTERCARE:	page 125
COLOURS & FINISHES:	page 126 - 129


















J-575™



# J-500™ COLLECTION J-585™

SEATING CAPACITY:	6 adults	5-6 adults
LOUNGE SEATING:	-	yes
DIMENSIONS:	231 cm × 231 cm × 92 cm - 107 cm	231 cm × 231 cm × 92 cm - 107 cm
DRY WEIGHT:	407 kg	407 kg
TOTAL FILLED WEIGHT:	2.457 kg	2.470 kg
AVERAGE SPA VOLUME:	I.666 litres	1.685 litres
PUMP I:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)
PUMP 2:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)
CIRCULATION PUMP:	Yes - 8 hours	Yes - 8 hours
HEATER:	2,7 kW	2,7 kW
TOTAL POWERPRO JETS:	46	49
POWERPRO® FX SMALL:	8	-
POWERPRO® PX:	2	8
POWERPRO® FX:	8	6
POWERPRO® FX ROTATIONAL:	10	14
POWERPRO® NX2:	-	2
POWERPRO® FX LARGE ROTATIONAL:	5	6
POWERPRO® MX2:	3	5
POWERPRO® RX:	8	6
POWERPRO® FX DIRECTIONAL:	2	2
FILTERS:	Proclarity® Filtration system w/ Grill, skimming Weir and Procatch™ Bag + Proclear® Pleated Filter,	Proclarity® Filtration system w/ Grill, skimming Weir and Procatch™ Bag + Proclear® Pleated Filter,
1121210	I - Proclarity® Depth Load Filter, I - Proclarity® 40 sq ft Filter, I - Proclear® 60 sq ft Filter	I - Proclarity® Depth Load Filter, I - Proclarity® 40 sq Ft Filter, I - Proclear® 60 sq Ft Filter
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™
CONTROL PANEL:	ProTouch™ (glass)	ProTouch <sup>™</sup> (glass)
LIGHTING:	Multicolour LED Proedge™, 2 Waterfalls, Exterior comer, Underwater	Multicolour LED Proedge <sup>™</sup> , 2 Waterfalls, Exterior comer, Underwater
PILLOWS:	4	4
WATERFALLS:	2	2
STEREO:	BLUEWAVE® 2.0 Wireless Spa Stereo System with Aux 3.5 mm jack port and Wireless capability; 4 single driver speakers and a powered subwoofer subwoofer	BLUEWAVE® 2.0 Wireless Spa Stereo System with Aux 3.5 mm jack port and Wireless capability; 4 single driver speakers and a powered subwoofer subwoofer
INSTALLATIONS:	Above ground	Above ground
CABINETRY:	Curvalux™: Silverwood, Roasted Chestnut	Curvalux™: Silverwood, Roasted Chestnut
ACRYLIC COLOUR SHELLS:	Platinum, Opal, Silver Pearl, Desert Sand, Sandstone, Monaco, Midnight, Porcelain, Sahara, Caribbean Surf	Platinum, Opal, Silver Pearl, Desert Sand, Sandstone, Monaco, Midnight, Porcelain, Sahara, Caribbean Surf
COVER:	ProLast™	ProLast™
PROLINK™ APP:	Included	Included
ELECTRICAL REQUIREMENTS:	230-240 VAC 50Hz 32A	230-240 VAC 50Hz 32A

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.





# J-LX® COLLECTION J-LXL®

5-6 adults
Yes
214 cm × 214 cm × 92 cm
406 kg
2.298 kg
I.476 litres
2 speed, 2,0 cont hp (3,0 bhp*)
I speed, 2,0 cont hp (2,6 bhp*)
Yes - 8 hours
2,7 kW
38
23
6
3
2
4
1
Proclear® Filtration System with Skimming Weir and Procatch™ Bag I- Proclear® 15" 75 sq ft (hydro) I- Proclear® 15" 60 sq ft (circ)
CLEAR <b>RAY</b> ® PROTECT™
Display LED
Filtered LED perimeter lighting, underwater light and waterfall light
3
1
BLUEWAVE® Spa Stereo System (MP3/iPod®/FM/Wireless/Aux compatible) with 4 speakers, auxiliary headphone jack, USB port connections and standard wireless RF remote
Above ground or in-ground
7 loove ground or in-ground
Roasted Chestnut, Brazilian Teak
Roasted Chestnut, Brazilian Teak  Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco,

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.









1-400	ე™ (	$\cap$	HF	CTI	ON
1- 101	,	-		- $ -$	$\mathcal{O}$

# I-495<sup>™</sup>

J-480<sup>™</sup>

J-470<sup>™</sup>

J-400" COLLECTION	J- <del>4</del> 95	J-480	J-4/U
SEATING CAPACITY:	8-9 adults	5-6 adults	6-7 adults
LOUNGE SEATING:	-	Yes	-
DIMENSIONS:	229 cm × 279 cm × 104 cm - 116 cm	239 cm × 239 cm × 99 cm - 112 cm	231 cm × 231 cm × 99 cm - 112 cm
DRY WEIGHT:	517 kg	454 kg	431 kg
TOTAL FILLED WEIGHT:	2.862 kg	2.724 kg	2.549 kg
AVERAGE SPA VOLUME:	1.968 litres	1.817 liters	1.703 liters
PUMP I:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)
PUMP 2:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)
PUMP 3:	I speed, 2,0 cont hp (2,6 bhp*)	-	-
CIRCULATION PUMP:	Yes - 12 hours	Yes - 12 hours	Yes - 12 hours
HEATER:	2,7 kW	2,7 kW	2,7 kW
TOTAL POWERPRO® JETS:	62	52	43
POWERPRO® FX SMALL:	8	8	8
POWERPRO® PX:	-	6	-
POWERPRO® FX:	18	12	10
POWERPRO® FX ROTATIONAL:	6	6	6
POWERPRO® NX2:	10	4	4
POWERPRO® FX LARGE ROTATIONAL:	4	6	4
POWERPRO® MX2:	3	3	3
POWERPRO® RX:	11	6	6
POWERPRO® XI:	I	l .	
POWERPRO® FXL:	1	-	T .
SELETTORI MASSAGGIO:	2	2	2
	Proclarity® Filtration System with Grill, skimming Weir and Procatch™ Bag	Proclarity® Filtration System with Grill, skimming Weir and Procatch™ Bag	Proclarity® Filtration System with Grill, skimming Weir and Procatch™ Bag
FILTERS:	I- Proclarity® depth load filter (circ)	- Proclarity® depth load filter (circ)	I - Proclarity® depth load filter (circ)
	I- Proclarity® 40' sq ft filter (circ) I- Proclear® I5'' 60 sq ft filter (hydro)	I - Proclarity® 40 sq ft. filter (circ) I - Proclear® 12.5" 60 sq ft. filter (hydro)	I - Proclarity® 40 sq ft. filter (circ) I - Proclear® 12.5" 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™
CONTROL PANEL:	ProTouch™	ProTouch™	ProTouch™
LIGHTING::	Illuminated PowerPro® IX Jet, 2 waterfalls, pillows, indicator light, and cupholders	Illuminated PowerPro® IX Jet, 2 waterfalls, pillows, indicator light, and cupholders	Illuminated PowerPro® IX Jet, 2 waterfalls, pillows, indicator light, and cupholders
PILLOWS:	4	4	4
WATERFALLS:	2	2	2
STEREO:	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer
INSTALLATIONS:	Above ground or in-ground	Above ground or in-ground	Above ground or in-ground
CABINETRY:	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak
ACRYLIC COLOUR SHELLS:	Platinum, Silver Pearl, Sahara, Desert Sand, Monaco	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf
COVER:	ProLast™ **	ProLast™ **	ProLast™ **
PROLINK™ APP:	Optional	Optional	Optional
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 40A	230 VAC 50Hz 32A	230 VAC 50Hz 32A

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



**ACRYLIC COLOUR SHELLS:** 

**ELECTRICAL REQUIREMENTS:** 

COVER: PROLINK™ APP: Porcelain

Included

ProLast™ \*\*

230 VAC 50Hz 20A









	4	20	20000	
J-400™ COLLECTION	J-445™	J-435™	J-425™	J-415™
SEATING CAPACITY:	6 adults	6 adults	4-5 adults	2-3 adults
LOUNGE SEATING:	-	Yes	-	Yes
DIMENSIONS:	213 cm × 213 cm × 91 cm - 109 cm	213 cm × 213 cm × 91 cm - 109 cm	193 cm × 221 cm × 86 cm - 99 cm	193 cm × 168 cm × 81 cm
DRY WEIGHT:	281 kg	373 kg	361 kg	265 kg
TOTAL FILLED WEIGHT:	1.996 kg	2.037 kg	1.988 kg	1.362 kg
AVERAGE SPA VOLUME:	1.401 litres	1.363 litres	1.287 litres	871 litres
PUMP I:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I velocità, 2,0 cont hp (2,6 bhp*)
PUMP 2:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	-
PUMP 3:	-	-	-	-
CIRCULATION PUMP:	Yes - programmable	Yes	Yes - 12 hours	Yes - 12 hours
HEATER::	2,7 kW	2,7 kW	2,7 kW	2,7 kW
TOTAL POWERPRO® JETS:	46	48	27	21
POWERPRO® FX SMALL:	8	10	-	-
POWERPRO® PX:	-	2	-	-
POWERPRO® FX:	12	9	10	9
POWERPRO® FX ROTATIONAL:	8	6	4	4
POWERPRO® NX2:	4	6	2	2
POWERPRO® FX LARGE ROTATIONAL:	2	3	3	I
POWERPRO® MX2:	3	3	3	-
POWERPRO® RX:	8	8	2	5
POWERPRO® XI:	I	-		-
POWERPRO® IX2:	I		-	-
POWERPRO® FXL:	-	-	2	-
SELETTORI MASSAGGIO:	2	I	I	I
FILTERS:	ProClarity® Filtration System w/ Grill, Skimming Weir and ProCatch™ Bag + ProClear® Pleated Filter	ProClarity® Filtration System w/ Grill, Skimming Weir and ProCatch™ Bag + ProClear® Pleated Filter	ProClarity® Filtration System with Grill, Skimming Weir and ProCatch™ Bag	ProClarity® Filtration System with Grill, Skimming Weir and ProCatch™ Bag
	- ProClarity® depth load filter (circ)   - ProClarity® 40 sq ft. filter (circ)   - ProClear® 75 sq ft. filter (hydro)	I- ProClarity® depth load filter (circ) I- ProClarity® 40 sq ft. filter (circ) I- ProClear® 75 sq ft. filter (hydro)	I- ProClarity® depth load filter (circ) I- ProClarity® 40 sq ft. filter (circ) I- ProClear® 15" 60 sq ft. filter (hydro)	I - ProClarity® depth load filter (circ) I - ProClarity® 40 sq ft. filter (circ) I - ProClear® I 5" 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™	$CLEAR\mathbf{RAY}^{\otimes}PROTECT^{^{TM}}$	CLEAR <b>RAY</b> ® PROTECT™
CONTROL PANEL:	ProTouch™	ProTouch™	ProTouch™	ProTouch™
LIGHTING:	Multi-coloured LED lights: waterfall, underwater spotlight, cup holder, diverters. White LED lights, external comers: pilot lights	Multi-coloured LED lights: waterfall, underwater spotlight, cup holder, diverters. White LED lights, external comers: pilot lights	Illuminated PowerPro® IX Jet, 2 waterfalls, pillows, indicator light, and cupholders	Illuminated waterfall, pillows and indicator light
PILLOWS:	4	3	4	I
WATERFALLS:	I	I	I	I
STEREO:	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer	BLUEWAVE® 2.0 Spa Stereo System with Wireless capability and Aux 3.5 mm headphone jack port; 4 premium speakers, a powered subwoofer
INSTALLATIONS:	Above ground or in-ground			
CABINETRY:	PROENDURE - Silverwood, Roasted Chestnut	PROENDURE - Silverwood, Roasted Chestnut	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak

Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf

ProLast™ \*\*

230 VAC 50Hz 32A

Optional

Platinum, Silver Pearl, Sahara, Opal, Desert Sand, Monaco

ProLast™ \*\*

230 VAC 50Hz 32A

Optional

ProLast™ \*\*

230 VAC 50Hz 20A

Optional

Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.











J-300™ COLLECTION	J-385™	J-375™	J-365 <sup>™</sup>	J-355 <sup>™</sup>
SEATING CAPACITY:	6-7 adults	5-6 adults	6-7 adults	5-6 adults
LOUNGE SEATING:	-	Yes	-	Yes
DIMENSIONS:	231 cm × 231 cm × 97 cm	231 cm × 231 cm × 97 cm	213 cm × 231 cm × 97 cm	213 cm x 231 cm x 97 cm
DRY WEIGHT:	415 kg	407 kg	394 kg	379 kg
TOTAL FILLED WEIGHT:	2.610 kg	2.601 kg	2.285 kg	2.233 kg
AVERAGE SPA VOLUME:	1.893 litres	1.779 litres	1.666 litres	1.514 litres
PUMP I:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)
PUMP 2:	I speed, 2,0 cont hp (2,6 bhp*)			
CIRCULATION PUMP:	Yes - 8 hours			
HEATER:	2,7 kW	2,7 kW	2,7 kW	2,7 kW
TOTAL POWERPRO® JETS:	49	50	44	42
POWERPRO® FX SMALL:	8	-	8	-
POWERPRO® FX:	20	18	19	14
POWERPRO® FX ROTATIONAL:	4	6	4	4
POWERPRO® NX2:	4	4	4	2
POWERPRO® FX LARGE ROTATIONAL:	4	3	3	3
POWERPRO® MX:	3	5	3	5
POWERPRO® BX:	2	12	-	12
POWERPRO® FXL:	4	2	3	2
MASSAGE SELECTORS:	2	2	2	2
FILTERS:	Proclear® Filtration System with Skimming Weir and ProCatch™ Bag I- Proclear® 60 sq ft filter (hydro) I- Proclear® 60 sq ft filter (circ)	Proclear® Filtration System with Skimming Weir and ProCatch™ Bag I- Proclear® 60 sq ft filter (hydro) I- Proclear® 60 sq ft filter (circ)	Proclear® Filtration System with Skimming Weir and ProCatch™ Bag I- Proclear® 60 sq ft filter (hydro) I- Proclear® 60 sq ft filter (circ))	Proclear® Filtration System with Skimming Weir and ProCatch™ Bag I - Proclear® 60 sq ft filter (hydro) I - Proclear® 60 sq ft filter (circ)
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® PROTECT™			
CONTROL PANEL:	LED	LED	LED	LED
LIGHTING:	LED ProLites™ System: footwell, pillows and cupholders	LED ProLites™ System: footwell, pillows and cupholders	LED ProLites™ System: footwell, pillows and cupholders	LED ProLites™ System: footwell, pillows and cupholders
PILLOWS:	4	4	4	3
WATERFALL:	I	1	T	1
STEREO:	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote
INSTALLATIONS:	Above ground or in-ground			
CABINETRY:	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak			
ACRYLIC COLOUR SHELLS:	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf
COVER:	Vinilpelle (ProLast™ opt.) **			
PROLINK™ APP:	Optional	Optional	Optional	Optional
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A			

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.











J-300™ COLLECTION	J-345™	J-335 <sup>™</sup>	J-325™	J-315 <sup>™</sup>
SEATING CAPACITY:	5-6 adults	4-5 adults	4-5 adults	2-3 adults
LOUNGE SEATING:	-	Sì	-	Yes
DIMENSIONS:	213 cm × 213 cm × 92 cm	213 cm × 213 cm × 92 cm	193 cm × 213 cm × 87 cm	193 cm x 168 cm x 81 cm
DRY WEIGHT:	374 kg	342 kg	312 kg	259 kg
TOTAL FILLED WEIGHT:	2.114 kg	2.044 kg	1.976 kg	1.318 kg
AVERAGE SPA VOLUME:	1.401 litres	1.363 litres	1.363 litres	871 litres
PUMP I:	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	I speed,, 2,0 cont hp (2,6 bhp*)
PUMP 2:	I speed, 2,0 cont hp (2,6 bhp*)	I speed, 2,0 cont hp (2,6 bhp*)	-	-
CIRCULATION PUMP:	Yes - 8 8 hours	Yes - 8 8 hours	Yes - 24 8 hours	Yes - 24 8 hours
HEATER:	2,7 kW	2,7 kW	2,7 kW	2,7 kW
TOTAL POWERPRO® JETS:	39	40	21	21
POWERPRO® FX SMALL:	8	-	4	-
POWERPRO® FX:	19	16	6	8
POWERPRO® FX ROTATIONAL:	4	4	2	2
POWERPRO® NX2:	-	-	-	-
POWERPRO® FX LARGE ROTATIONAL:	3	4	5	3
POWERPRO® MX:	3	2	-	-
POWERPRO® BX:	-	12	-	6
POWERPRO® FXL:	2	2	4	2
SELETTORI MASSAGGIO:	2	2	I	I
FILTRI:	ProClear® Filtration System with Skimming Weir and ProCatch™ Bag I- Proclear® 60 sq ft filter (hydro) I- Proclear® 60 sq ft filter (circ)	Sistema di filtraggio ProClear® con skimmer e sacchetto ProCatch™ I Filtro ProClear® da 60 sq ft (idro) I Filtro ProClear® da 60 sq ft (idro)	Sistema di filtraggio ProClear® con skimmer e sacchetto ProCatch™ I Filtro ProClear® da 60 sq ft (idro) I Filtro ProClear® da 60 sq ft (idro)	Sistema di filtraggio ProClear® con skimmer e sacchetto ProCatch™ I Filtro ProClear® da 60 sq ft (idro) I Filtro ProClear® da 60 sq ft (idro)
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY</b> ® PROTECT™	CLEAR <b>RAY®</b> PROTECT™
CONTROL PANEL:	LED	LED	LED	LED
LIGHTING:	LED ProLites™ System: footwell, pillows and cupholders	LED ProLites™ System: footwell, pillows and cupholders	LED ProLites™ System: footwell and pillows	LED ProLites™ System: footwell and pillows
PILLOWS:	4	4	4	3
WATERFALL:	1	1	1	1
STEREO:	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote	BLUEWAVE® Spa Stereo System (MP3/iPod®/Fm/Wireless/Aux compatible) with 4 speakers and a subwoofer, auxiliary headphone jack, USB port connections and standard wireless RF remote
INSTALLATIONS:	Above ground or in-ground			
CABINETRY:	PROENDURE - Silverwood, Roasted Chestnut, Brazilian Teak			
ACRYLIC COLOUR SHELLS:	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain, Caribbean Surf	Platinum, Opal, Silver Pearl, Sahara, Desert Sand, Monaco
COVER:	Vinilpelle (ProLast™ opt.) **			
PROLINK™ APP:	Optional	Optional	Optional	Optional
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 32A	230 VAC 50Hz 32A	230 VAC 50Hz 32A	230VAC 50Hz Minimum 20A Recommended 32A

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. spa Volume is based on average fill. Specifications are subject to change without notice.











Platinum, White Pearlescent

230 VAC 50Hz 20A/30A

Leatherette

Silver Pearl, Opal and Midnight are available on request

N

1	0	$\cap$	TM
-∠	0	U	

J-275™

J-245<sup>™</sup>

J-235<sup>™</sup>

SEATING CAPACITY:	6-7 adults	6-7 adults	6-7 adults	6 adults
LOUNGE SEATING:	-	Yes	-	Yes
DIMENSIONS:	229 cm × 229 cm × 93 cm	229 cm × 229 cm × 93 cm	214 cm × 214 cm × 92 cm	214 cm × 214 cm × 92 cm
DRY WEIGHT:	401 kg	366 kg	375 kg	326 kg
TOTAL FILLED WEIGHT:	2.558 kg	2.371 kg	2.153 kg	2.066 kg
AVERAGE SPA VOLUME:	1.741 litres	1.590 litres	1.363 litres	1.363 litres
PUMP I:	2 speed,2,0 cont hp (2,6 bhp*)	2 speed,, 2,0 cont hp (2,6 bhp*)	2 speed, 2,0 cont hp (2,6 bhp*)	2 speed, 2,0 cont hp (2,6 bhp*)
PUMP 2:	I speed,2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)	I speed, 2,0 cont hp (3,0 bhp*)
HEATER:	2,7 kW	2,7 kW	2,7 kW	2,7 kW
TOTAL JETS:	44	45	35	35
CLASSIC WHIRL:	I	-	-	-
CLASSIC LUXURY:	7	6	5	6
CLASSIC TURBO:	-	2	2	2
CLASSIC DIRECT:	8	8	4	4
CLASSIC ROTATIONAL:	6	6	4	4
CLASSIC EURO:	16	14	18	12
CLASSIC PULSATOR:	-	6	-	4
CLASSIC MINI:	6	3	2	3
DIVERTER:	-	-	-	-
MASSAGE SELECTORS:	I	-	-	-
AIR CONTROLS:	4	3	3	3
FILTERS:	Classic Filtration I- 95 sq ft filter (hydro)	Classic Filtration I- 50 sq ft filter (hydro)	Classic Filtration I- 50 sq ft filter (hydro)	Classic Filtration I-50 sq ft filter (hydro)
TER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®
CONTROL PANEL:	LED	LED	LED	LED
LIGHTING:	Classic LED Lighting	Classic LED Lighting	Classic LED Lighting	Classic LED Lighting
PILLOWS:	4	3	4	3
WATERFALL:	T	I	T	1
STEREO :	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers
INSTALLATIONS:	Above ground or in-ground			
CABINETRY:	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut

Platinum

Leatherette

230 VAC 50Hz 20A/30A

Platinum

Leatherette

230 VAC 50Hz 20A/30A

WA

ACRYLIC COLOUR SHELLS:

**ELECTRICAL REQUIREMENTS:** 

COVER:

Platinum

Leatherette

230 VAC 50Hz 20A/30A

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals. NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.









# J-200<sup>™</sup> COLLECTION J-225 <sup>™</sup>

WATE

J-215<sup>™</sup>

J-210<sup>TM</sup>

	J ===	, =	, = · ·
SEATING CAPACITY:	4-5 adults	2-3 adults	4 adults
LOUNGE SEATING:	-	Yes	-
DIMENSIONS:	193 cm × 213 cm × 87 cm	193 cm × 168 cm × 81 cm	Ø 198 cm x 92 cm
DRY WEIGHT:	255 kg	223 kg	239 kg
TOTAL FILLED WEIGHT:	1.914 kg	1.261 kg	1.412 kg
AVERAGE SPA VOLUME:	1.340 litres	833 litres	908 litres
PUMP I:	2 speed, 2.0 cont hp	2 speed, 1.5 cont hp	2 speed, 2,0 cont hp (3,0 bhp*)
PUMP 2:	-	-	-
HEATER:	2,7 kW	2,7 kW	2,7 kW
TOTAL JETS:	23	19	19
CLASSIC WHIRL:	-	-	-
CLASSIC LUXURY:	2	2	4
CLASSIC TURBO:	-	-	4
CLASSIC DIRECT:	8	4	-
CLASSIC ROTATIONAL:	4	-	-
CLASSIC EURO:	-	-	-
CLASSIC PULSATOR:	-	4	-
CLASSIC MINI:	9	9	10
DIVERTER:	-	-	T.
MASSAGE SELECTORS:	-	-	-
AIR CONTROLS:	-	-	3
FILTERS:	Classic Filtration I- 95 sq ft filter (hydro)	Classic Filtration I- 50 sq ft filter (hydro)	Classic Filtration I - 50 sq ft filter (hydro)
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®
CONTROL PANEL:	LED	LED	LED
LIGHTING:	Classic LED Lighting	Classic LED Lighting	-
PILLOWS:	3	I	-
WATERFALL:	I	I	-
STEREO :	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers	BLUEWAVE® Spa Stereo System (Wireless/Aux compatible only) with 4 speakers	-
INSTALLATIONS:	Above ground or in-ground	Above ground or in-ground	n appoggio o a incasso
CABINETRY:	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut
ACRYLIC COLOUR SHELLS:	Platinum	Platinum	Platinum
COVER:	Leatherette	Leatherette	Leatherette
ELECTRICAL REQUIREMENTS:	230 VAC 50Hz 20A/30A	230 VAC 50Hz 20A/30A	230 VAC 50Hz 20A/30A

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals. NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



то

то

POWERPRO® I

# **DESIGN**









2 20.0	
COLLECTION	

SEATING CAPACITY:
LOUNGE SEATING:
DIMENSIONS:
DRY WEIGHT:
TAL FILLED WEIGHT:
ERAGE SPA VOLUME:
DLIMD I.

PUMP I:
PUMP 2:
CIRCULATION PUMP:
HEATER:
TAL POWERPRO® JETS:
BLOWER:
POWERPRO® FX:
POWERPRO® NX2:
X LARGE ROTATIONAL:
POWERPRO® MX2:

POWERPRO® RX: POWERPRO® BX: POWERPRO® PX:



WATE	R MAI	NAGEN	1ENT	SYSTE	М:

CONTROL	PANEL

PILLOWS:

LIGHTING:

AROMATHERAPY: WATERFALL:

STEREO:

COVER:

Built-in - freestanding

White, Platinum

Proplast® color grey

SYNTHETIC WOOD - Graphit WOOD - Teak

220-240 V F+N 50Hz - 32A 380-415 V 3F+N 50 Hz - 16 A

INSTALLATIONS:

CABINETRY:

ACRYLIC COLOUR SHELLS:

**ELECTRICAL REQUIREMENTS:** 

OFILE	SANTORINI

VIRTUS	PROFILE	SANTORINI PRO	DELOS
6-7 adults	5-6 adults	5 adults	4 adults
Yes	Yes	Yes, 2	Yes
250 cm × 215 × 93 cm	235/239 cm × 211/215 cm × 93 cm	230 cm × 215 cm × 90 cm	215 cm × 190 cm × 80 cm
410 kg	400 kg	300 kg	250 kg
2.480 kg	2.510 kg	2.100 kg	1.390 kg
2.300 litri	1.600 litres	1.250 litres	860 litres
I speed, 2,5 hp (1,8 kW)	l speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)	2 speed, 2,5 hp (1,8 kW) I speed, 2,5 hp (1,8 kW): Pro, Pro Sound
I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)	-
Yes	Yes	Yes	Yesì: Pro, Pro Sound
3.0 kW - available on dem and: heat exchanger, heat pump	3.0 kW	3.0 kW	2.0 kW, Pro 3.0 kW
50	31	29	16
-	14	14	10 Pro, Pro Sound
10	8	П	6
8	13	10	6
9	3	3	2
T	I	I	-
2	6	4	2
8	-	-	-
8	-	-	-
4 way filter I I m3/h with polymer fibers	External Grid I × 100 sq ft filter Performance kit (optional)	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)
CLEAR <b>RAY</b> ® Pro3Tech (ozone)	CLEAR <b>RAY</b> ®	CLEAR <b>RAY</b> ®	CLEAR <b>RAY®</b> : Pro Sound Optional: Delos, Delfì Pro
2 capacitive controls + control panel with display	LCD	LCD	LED: Delos LCD: Delos Pro, Pro Sound
2 LED Multicolor underwater spotlights	LED Multicolour	LED Multicolour	LED Multicolour
-	-	3 + I optional	3 + I optional Pro, Pro Sound

Yes

Wireless with 4 invisible

White, Cobalt, Platinum

220-240 VAC 50/60Hz

Vinyl Leatherette\*\*

speakers, a powered subwoofer

SYNTHETIC WOOD - Graphite WOOD - Teak and Veined Oak

Above ground or in-ground

Yes

Wireless with 4 invisible

White, Cobalt, Platinum

220-240 VAC 50/60Hz

Vinyl Leatherette\*\*

speakers, a powered subwoofer

SYNTHETIC WOOD - Graphite WOOD - Teak and Veined Oak

Above ground or in-ground

Yes

Wireless with 8 speakers, a

Above ground or in-ground

powered subwoofer

WOOD - Teak

White, Cobalt, Platinum

220-240 VAC 50/60Hz

Vinyl Leatherette\*\*

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITTGoulds Pumps, Centrifugal Pump Fundamentals.

<sup>\*\*</sup>Cover options may vary from country to country. Please check with local retailer:
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.















DESIGN	ATE				
COLLECTION	DELFI	FLOW	CITY SPA	UNIQUE	ALIMIA
SEATING CAPACITY:	4 adults	2 adults	2 adults	3 adults	5-6 adults
LOUNGE SEATING:	Yes	2 side-by-side	2 side-by-side	Yes	-
DIMENSIONS:	190 cm × 190 cm × 80 cm	200 cm x 200 cm x 81 cm	160 cm × 150 cm × 75 cm	190 cm × 150 cm × 80 cm	Ø 212 cm x 90 cm
DRY WEIGHT:	270 kg	300 kg	220 kg	240 kg	290 kg
TOTAL FILLED WEIGHT:	1.440 kg	870 kg	790 kg	1.270 kg	1.940 kg
AVERAGE SPA VOLUME:	700 litres	470 litres	470 litres	630 litres	1.370 litres
PUMP I:	2 speed, 2,5 hp (1,8 kW) 1 speed, 2,5 hp (1,8 kW): Pro, Pro Sound	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)	2 speed, 2,5 hp (1,8 kW)	2 × I speed, 2,5 hp (1,8 kW)
PUMP 2:	-	-	-	-	-
POMPA DI RICIRCOLO:	Yes: Pro, Pro Sound	Yes	Yes	-	Yes
RISCALDATORE:	2.0 kW, Pro 3.0 kW	1,5 kW o 2,0 kW	1,5 kW o 2,0 kW	2.0 kW	3.0 kW
BOCCHETTE POWERPRO® TOTALI:	16	20	20	14	34 Classic jets
BLOWER:	10 Pro, Pro Sound	-	-	10 Top Version	12
POWERPRO® FX:	6	6	6	4	-
POWERPRO® NX2:	6	8	8	6	-
POWERPRO® FX LARGE ROTATIONAL:	2	-	-	2	-
POWERPRO® MX2:	-	-	-	-	-
POWERPRO® RX:	2	2	2	2	-
POWERPRO® BX:	-	4	4	-	-
POWERPRO® BX: FILTERS:	- Classic Filtration 2 × 50 sq ft filter Performance kit (optional)	4  Classic Filtration I × 50 sq ft filter	4  Classic Filtration I × 50 sq ft filter	Classic Filtration I × 50 sq ft filter	Classic Filtration I × 50 sq ft filter
	Classic Filtration 2 x 50 sq ft filter	Classic Filtration	Classic Filtration		
FILTERS:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEAR <b>RAY®</b> : Pro Sound	Classic Filtration I × 50 sq ft filter	Classic Filtration I × 50 sq ft filter	I × 50 sq ft filter	I × 50 sq ft filter
FILTERS: WATER MANAGEMENT SYSTEM:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos	Classic Filtration I x 50 sq ft filter  CLEAR <b>RAY</b> ®	Classic Filtration I × 50 sq ft filter  CLEAR <b>RAY</b> ®	I x 50 sq ft filter  CLEAR <b>RAY</b> ®	I x 50 sq ft filter  CLEAR <b>RAY</b> ®
FILTERS: WATER MANAGEMENT SYSTEM: CONTROL PANEL:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + Lontional Pro	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED	Classic Filtration I x 50 sq ft filter  CLEARRAY®	I x 50 sq ft filter  CLEARRAY®  LED	I x 50 sq ft filter  CLEARRAY®  LCD
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED	Classic Filtration I x 50 sq ft filter  CLEARRAY®	I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour	I x 50 sq ft filter  CLEARRAY®  LCD
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING:  PILLOWS:	Classic Filtration 2 x 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED	Classic Filtration I x 50 sq ft filter  CLEARRAY®	I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING:  PILLOWS:  AROMATHERAPY:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound  Yes	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour -	LED Multicolour	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING:  PILLOWS:  AROMATHERAPY:  WATERFALL:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound  Yes  I  Wireless with 4 invisible speakers, a powered	Classic Filtration I × 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  I  Wireless with 4 invisible speakers, a powered	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour I  Wireless with 4 invisible speakers, a powered	LED Multicolour  3 -	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING: PILLOWS: AROMATHERAPY: WATERFALL:  STEREO:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound  Yes  I  Wireless with 4 invisible speakers, a powered subwoofer	Classic Filtration I × 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  -  -  I  Wireless with 4 invisible speakers, a powered subwoofer	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  I  Wireless with 4 invisible speakers, a powered subwoofer	LED LED Multicolour  3 - I Wireless with 4 speakers	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour  - Yes  I
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING: PILLOWS: AROMATHERAPY: WATERFALL: STEREO: INSTALLATIONS:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound  Yes  I  Wireless with 4 invisible speakers, a powered subwoofer Above ground or in-ground  SYNTHETIC WOOD - Graphite WOOD - Teak and Veined	Classic Filtration I × 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  -  -  I  Wireless with 4 invisible speakers, a powered subwoofer  Above ground or in-ground	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  I  Wireless with 4 invisible speakers, a powered subwoofer  Above ground or in-ground  WOOD - Teak and Sasha SYNTHETIC PANELS -	LED Multicolour  Wireless with 4 speakers  Above ground or in-ground  WOOD - Teak and Wengé SYNTHETIC PANELS - Sahara	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour  - Yes  I  - Above ground or in-ground  WOOD - Teak SYNTHETIC PANELS - Sil-
FILTERS:  WATER MANAGEMENT SYSTEM:  CONTROL PANEL:  LIGHTING:  PILLOWS:  AROMATHERAPY:  WATERFALL:  STEREO:  INSTALLATIONS:  CABINETRY:	Classic Filtration 2 × 50 sq ft filter Performance kit (optional)  CLEARRAY®: Pro Sound Optional: Delfi, Delfi Pro  LED: Delos LCD: Delos Pro, Pro Sound  LED Multicolour 2 + 1 optional Pro, Pro Sound  Yes  I  Wireless with 4 invisible speakers, a powered subwoofer  Above ground or in-ground  SYNTHETIC WOOD - Graphite WOOD - Teak and Veined Oak	Classic Filtration I × 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  I  Wireless with 4 invisible speakers, a powered subwoofer  Above ground or in-ground  ACRYLIC - White	Classic Filtration I x 50 sq ft filter  CLEARRAY®  LED  LED Multicolour  I  Wireless with 4 invisible speakers, a powered subwoofer  Above ground or in-ground  WOOD - Teak and Sasha SYNTHETIC PANELS - Sahara	CLEARRAY®  LED  LED Multicolour  3  -  I  Wireless with 4 speakers  Above ground or in-ground  WOOD - Teak and Wengé SYNTHETIC PANELS - Sahara CUSTOM ISABLE PANELS	I x 50 sq ft filter  CLEARRAY®  LCD  LED Multicolour  - Yes  I  - Above ground or in-ground  WOOD - Teak SYNTHETIC PANELS - Silverwood

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



# PROFESSIONAL









ALIMIA

)LI	_EC	CTI	10	Ν

SEATING CAPACITY:
LOUNGE SEATING:
DIMENSIONS:
DRY WEIGHT:
TOTAL FILLED WEIGHT:
AVERAGE SPA VOLUME:

PUMP I:

PUMP 2:

FILTRATION PUMP:

HEATING SYSTEM:

TOTAL POWERPRO® JETS:

BLOWER:

POWERPRO® FX LARGE: POWERPRO® RX:

POWERPRO® FX:

POWERPRO® NX2:

POWERPRO® FX LARGE ROTATIONAL:

POWERPRO® MX2:

POWERPRO® RX:

FILTRATION AND FILTERS:

SPA PACK: CONTROL PANEL: LIGHTING: AROMATHERAPY:

INSTALLATIONS:

ACRYLIC COLOUR SHELLS:

COVER:

**ELECTRICAL REQUIREMENTS:** 

TRGINIA	SIENI
INGIINIA	SIELVI

6-7 adults	7-8 adults	6-7 adults
1	-	-
257 cm × 219 cm × 98 cm	257 cm × 219 cm × 98 cm	Ø 237 cm × 98 cm
250 kg	200 kg	180 kg
2.350 kg	1.960 kg	1.840 kg
1.700 litres	1.430 litres	1.350 litres
I speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	I speed, 2,5 hp/I,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	I speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase
I speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	I speed, 2,5 hp/I,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	I speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase
0.75 hp 0.56 kW	0.75 hp 0.56 kW	0.75 hp 0.56 kW
Heater 3 or 12 kW Heat Exchanger kcal/1 2.6 or 5	Heater 3 or 12 kW Heat Exchanger kcal/l 2.6 or 5	Heater 3 or 12 kW Heat Exchanger kcal/l 2.6 or 5
34	30	28
16	16	16
6	5	5
-	-	-
18	17	17
10	8	6
-	-	-
-	-	-
-	-	-
External Grid Sand Filter I I m3/h	External Grid Sand Filter 11 m3/h	External Grid Sand Filter I I m3/h
Single or threephase	Monofase o trifase	Monofase o trifase
Piezoelectric	Piezoelectric	Piezoelectric
LED Multicolour	LED Multicolour	LED Multicolour
Yes	Yes	Yes
In-ground	In-ground	In-ground
White, Cobalt, Platinum	White, Cobalt, Platinum	White, Cobalt, Platinum
Vinyl Leatherette**	Vinyl Leatherette**	Vinyl Leatherette**
EU: 380/415V 3F+N 220/240V F+N	EU: 380/415V 3F+N 220/240V F+N	EU: 380/415V 3F+N 220/240V F+N
	1 257 cm x 219 cm x 98 cm 250 kg 2.350 kg 1.700 litres 1 speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase 1 speed, 3 hp/2,2 kW Threephase 0.75 hp 0.56 kW Heater 3 or 12 kW Heat Exchanger kcal/1 2.6 or 5 34 16 6 - 18 10 External Grid Sand Filter 11 m3/h Single or threephase Piezoelectric LED Multicolour Yes In-ground White, Cobalt, Platinum Vinyl Leatherette** EU: 380/415V 3F+N	1   257 cm x 219 cm x 98 cm   257 cm x 219 cm x 98 cm   250 kg   200 kg   2.350 kg   1.960 kg   1.700 litres   1.430 litres   1.430 litres   1.5 peed, 2.5 hp/1,8 kW Single-phase   1 speed, 2.5 hp/1,8 kW Single-phase   1 speed, 3 hp/2,2 kW Threephase   1 speed, 3 hp/1,8 kW Single-phase   1 speed, 3 hp/2,2 kW Threephase   1 speed, 3 hp/2,2 kW T

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



# PROFESSIONAL COLLECTION











VIRTUS PRO	PROFILE PRO	LODGE L	LODGE M	LODGE S

SEATING CAPACITY:	6-7 adults	5-6 adults	5-6 adults	4-5 adults	2-3 adults
LOUNGE SEATING:	Yes	Yes	I	-	1
DIMENSIONS:	250 cm × 215 × 93 cm	235/239 cm × 211/215 cm × 93 cm	223 cm × 211 cm × 90 cm	200 cm × 185 cm × 90 cm	185 cm × 165 cm × 90 cm
DRY WEIGHT:	410 kg	350 kg	348 kg	260 kg	245 kg
TOTAL FILLED WEIGHT:	2.480 kg	2.460 kg	2.168 kg	1.360 kg	1.195 kg
AVERAGE SPA VOLUME:	2.300 litri	I.600 litres	1.420 litres	880 litres	750 litres
PUMP I:	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp/I,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp (1,8 kW)
PUMP 2:	I speed, 2,5 hp (1,8 kW)	I speed, 2,5 hp/1,8 kW Single-phase I speed, 3 hp/2,2 kW Threephase	-	-	-
FILTRATION PUMP:	Yes	0.75 hp 0.56 kW	-	-	-
CIRCULATION PUMP:	Yes	-	Yes	Yes	Yes
HEATING SYSTEM:	Available on demand: heat exchanger, heat pump	Heater 3 or 12 kW Heat Exchanger kcal/l 2.6 or 5	-	-	-
HEATER:	3.0 kW	-	3.0 kW	2.0 kW	2.0 kW
TOTAL POWERPRO® JETS:	50	31	-	-	-
TOTAL CLASSIC JETS:	-	-	24 Hydro, Hydro + Blower	20 Hydro, Hydro + Blower	16 Hydro, Hydro + Blower
LUXURY CLASSIC JETS:	-	-	5	7	3
DIRECT CLASSIC JETS:	-	-	9	6	5
MINI CLASSIC JETS:	-	-	2	3	=
PULSATOR CLASSIC JETS:	-	-	8	4	8
BLOWER:	-	14	14 Blower, Hydro + Blower	12 Blower, Hydro + Blower	10 Blower, Hydro + Blower
POWERPRO® FX:	10	8	-	-	-
POWERPRO® NX2:	8	13	-	-	-
POWERPRO® FX LARGE ROTATIONAL:	9	3	-	-	-
POWERPRO® MX2:	1	I	=	-	-
POWERPRO® RX:	2	6	-	-	-
POWERPRO® BX:	8				
POWERPRO® PX:	8				
FILTRATION AND FILTERS:	4 way filter I I m3/h with polymer fibers	External Grid Sand Filter I I m3/h	Cartridge	Cartridge	Cartridge
SPA PACK:	Yes	Single or threephase	=	-	-
WATER MANAGEMENT SYSTEM:	CLEAR <b>RAY</b> ® Pro3Tech (ozone)	-	Cassette skimmer, cartridge filter 1 x 50 sq fta Opt. CLEAR <b>RAY</b> ®, Performance Kit	Cassette skimmer, cartridge filter I × 50 sq fta Opt. CLEAR <b>RAY</b> ®, Performance Kit	Cassette skimmer, cartridge filter   x 50 sq fta Opt. CLEAR <b>RAY</b> ®, Performance Kit
CONTROL PANEL:	2 capacitive controls + control panel with display	Piezoelectric	Top side LED	Top side LED	Top side LED
LIGHTING:	2 LED multicolor underwater spotlights	LED Multicolour	LED (Polychrome)	LED (Polychrome)	LED (Polychrome)
AROMATHERAPY:	-	Yes	Yes	Yes	Yes
INSTALLATIONS:	Built-in - freestanding	Above ground or in-ground	Above ground or in-ground	Above ground or in-ground	Above ground or in-ground
CABINETRY:	WOOD - Teak SYNTHETIC WOOD - Graphite	WOOD - Teak SYNTHETIC WOOD - Graphite	SYNTHETIC WOOD - Silverwood	SYNTHETIC WOOD - Silverwood	SYNTHETIC WOOD - Silverwood
ACRYLIC COLOUR SHELLS:	White, Platinum	White, Cobalt, Platinum	White, Platinum	White, Platinum	White, Platinum
COVER:	Proplast® color grey	Vinyl Leatherette**	Vinyl Leatherette**	Vinyl Leatherette**	Vinyl Leatherette**
ELECTRICAL REQUIREMENTS:	220-240 V F+N 50Hz - 32A 380-415 V 3F+N 50 Hz - 16 A	EU: 380/415V 3F+N 220/240V F+N	220-240 VAC 50/60Hz	220-240 VAC 50/60Hz	220-240 VAC 50/60Hz

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

\*\*Cover options may vary from country to country. Please check with local retailer:


NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



#### **SHELL COLOURS**

Once you've chosen a hot tub to suit your needs perfectly, you can finish the shell in a wide range of coloursand materials. Ensuring your hot tub is everything you need in style and design as well as performance.

# J-500<sup>TM</sup>, J-400<sup>TM</sup>, J-300<sup>TM</sup>, J-LX<sup>®</sup> Collection



# **COLLECTION SHELL COLOURS**

# Design Collection, Professional & Lodge



Colour options may vary from country to country. Please check with local retailer.



#### **FINISHINGS**

# $Curvalux^{TM}$





ROASTED CHESTNUT



J-500™ J-500™

# Synthetic wood

SILVERWOOD



J-400™, J-300™, Lodge

Lodge



J-400™ (Except J-495™), J-300™, J-LX®, J-LXL®,





 $\text{J-400}^{\text{\tiny{TM}}},\,\text{J-300}^{\text{\tiny{TM}}},\,\text{J-LX}^{\text{\tiny{(R)}}},$ J-LXL®

**GRAPHITE** 



DESIGN COLLECTION Except City™ Spa, Flow, Unique

SAHARA



**DESIGN COLLECTION** City™ Spa, Flow, Unique only

#### Wood

WENGÉ



DESIGN COLLECTION Unique only

TEAK

DESIGN COLLECTION Unique only

TEAK



DESIGN COLLECTION Profile only

TEAK



DESIGN COLLECTION City™ Spa, Delfi, Delos, and Santorini Pro only

#### VEINED OAK



DESIGN COLLECTION Delfi, Delos, and Santorini Pro only



DESIGN COLLECTION City™ Spa only

### Acrylic

#### WHITE



DESIGN COLLECTION Flow only

# Customisable panels



DESIGN COLLECTION  $\mathsf{City}^{\scriptscriptstyle\mathsf{TM}}$  Spa and Unique only



#### **HOT TUB COVERS**

Make protecting your investment both stylish and simple.

### Standard Vinyl

Standard covers offer basic protection, helping to maintain heat and keep debris out of your hot tub.

#### **Fabric**





BORDEAUX



PLATIN



WHITE



**ICE SUNBED** 



#### **Prolast**<sup>™</sup>

Engineered for durability from superior marine-grade material, Jacuzzi $^{\otimes}$  ProLast $^{\otimes}$  Covers are 25% lighter for easier handling and add a premium touch to your outdoor decor.

GREY



BLACK



SIENNA



### Prolast™ EXTREME

Jacuzzi® ProLast™ Extreme Covers are made from superior marine-grade material, offering the greatest weight-load bearing capacity, the highest density foam, and are pitched to encourage run-off of rain and snow.

GREY



BLACK



SIENNA





Customized

Cover options may vary from country to country. Please check with local retailer.



# **ACCESSORIES FOR YOUR JACUZZI® HOT TUB**

Your new Jacuzzi<sup>®</sup> hot tub is not complete without some essential accessories that help you adapt to your new hot tub lifestyle more easily. Customise your hot tub area and create an exclusive space that is practical but also exquisite in garden furniture design.

Don't forget to look for some matching steps that will help you enter and exit your hot tub safely, a suitable cover lifter to help you lift your cover off and on really quickly, some Jacuzzi<sup>®</sup> sanitiser to keep your warm water clean and of course some lovely fluffy Jacuzzi<sup>®</sup> bathrobes to keep you warm as you cross your garden!















#### **CUSTOMER SERVICE AND ON-GOING COMMITMENT**

#### Showroom




When you have an idea of the hot tub model that will suit your needs, you can see the real thing on your nearest showroom. Our experienced sales force will then take you through the purchase process and in many instances give you're the opportunity to try out hot tubs in demonstration areas.

### **Delivery**



Once you have selected the hot tub you can arrange for it to be delivered... this part of the process involves us scoping out the fitting area, the location of your home and the logistics of bringing the tub to you.

### **Fitting**



After the electrical work & level base have been completed, Jacuzzi® will send their expert fitter to connect the hot tub to its designated power source. They will then fill the tub to the right level and then demonstrate the correct way to use it.

For product installation, always refer to the technical manuals and instructions manuals available for download from www.jacuzzi.eu



#### **Aftercare**



With the hot tub installed and being used at your leisure. it's good to know that Jacuzzi® is always on hand to deal with any questions, offer tips and recommend the best ways to keep your unit running smoothly.

# Warranty



All our hot tubs carry a standard 2 year warranty to provide you with superb peace of mind. the 2 year warranty is for EU countries only. For other markets please check with local retailer.



