

ADD_ON REGULAR

Radiator composed of 12x24 cm aluminium modules



ORDER EXAMPLE

To correctly order this model follow the example specified below:

ADD_ON VERTICAL

PRODUCT

AD_R#168036
9010
R12

AD_R#168036 9010 R12

Article code found in the prices table on the side
RAL 9010 Glossy White colour code
Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 222

ADD_ON HORIZONTAL

PRODUCT

AD_RO#168036
9010
R12



AD_RO#168036 9010 R12

Article code found in the prices table on the side
RAL 9010 Glossy White colour code
Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 222


ACCESSORIES

GVR_AD#19010


Remote Valve Assembly for ADD_ON RAL 9010 Glossy white



TECHNICAL DIAGRAM



POSITION OF CONNECTORS



The ADD_ON model is connected to the heating system with remote connection GVR_AD (Remote Valve Assembly for ADD_ON) supplied as an accessory.

ADD_ON REGULAR

Price per radiator with White RAL 9010 finish and standard connectors - VAT and transport charges excluded

VERTICAL

Height		120		144		168		192		216		240	
Code	Width (cm)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)
AD_R#	24,0	273		329		386		443		501		559	
	36,0	410		494		579		665		752		839	
	48,0	534		644		754		866		979		1093	
	60,0	651		785		920		1057		1195		1334	
	72,0	762		919		1077		1237		1399		1562	
	84,0	866		1045		1225		1407		1591		1777	
	96,0	964		1163		1364		1567		1772		1979	

HORIZONTAL

Width		120		144		168		192		216		240	
Code	Height (cm)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)
AD_RO#	24,0	273		329		386		443		501		559	
	36,0	410		494		579		665		752		839	
	48,0	534		644		754		866		979		1093	
	60,0	651		785		920		1057		1195		1334	
	72,0	762		919		1077		1237		1399		1562	
	84,0	866		1045		1225		1407		1591		1777	
	96,0	964		1163		1364		1567		1772		1979	

COLOURS


The ADD_ON model in all its versions is supplied with the colour Pure White (code 9010) and also in all the other colours found in the Tubes Colour Chart without any price variation. NO GRGR.

REMOTE VALVE ASSEMBLY SPECIFIC FOR ADD_ON (GVR_AD)



The GVR_AD includes the remote valve assembly and lockshield, customized for the ADD_ON model, which can be installed at a max distance of 6 m from the radiator.

Code	Description	Price (€)
GVR_AD#19010	Remote Valve Assembly for ADD_ON RAL 9010 Glossy white	

Connection of radiator to the Remote Valve Assembly (GVR)



Connection of Remote Valve Assembly (GVR) to water system



Connection of radiator to the Remote Valve Assembly (GVR)

PACKING

The cardboard packing box is included in the price of sale of the products, and it contains the complete wall fixing kit.

ADD_ON INTRAMURO VERTICAL

Radiator composed of 12x24 cm aluminium modules

ORDER EXAMPLE

The ADD_ON INTRAMURO model is composed of two items, AD_RI#, ADD_ON INTRAMURO, plus INTRA_AD#, i.e. the indispensable part for wall recessing.

To correctly order this model follow the example specified below:

PRODUCT AD_RI#144036 9010

AD_RI# Article code found in the prices table here below
 144 Required height
 036 Required width
 9010 RAL 9010 Glossy White colour code

RECESSED PART INTRA_AD#144036

INTRA_AD# Recessed part Code found in the price chart here below
 144 Corresponding ADD_ON height
 036 Corresponding ADD_ON Width

ACCESSORIES

GVR_AD#19010 Remote Valve Assembly for ADD_ON RAL 9010 Glossy white


ADD_ON INTRAMURO VERTICAL

Height		120		144		168		192		216		240	
Code	Width (cm)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)	Watts ΔT 50°C	Price (€)
AD_RI#	36,0	410		494		579		665		752		839	
	48,0	534		644		754		866		979		1093	
	60,0	651		785		920		1057		1195		1334	
	72,0	762		919		1077		1237		1399		1562	
	84,0	866		1045		1225		1407		1591		1777	
	96,0	964		1163		1364		1567		1772		1979	

Corresponding RECESSED PART

Height		120		144		168		192		216		240	
Code	Width (cm)	Price (€)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)	
INTRA_AD#	36,0												
	48,0												
	60,0												
	72,0												
	84,0												
	96,0												

LONGITUDINAL SECTIONS



- a Counter-frame, to be wall recessed, supplied with the inter wall ADD_ON
- b Frame installed on ADD_ON for installation on counterframe
- c Fixing frame in RAW MDF to be painted or plastered
- d Space for the water connection to the heating system

Assembling notes for ADD_ON INTRAMURO


- 1 Install the counterframe (a) in the unplastered wall carefully following the assembly instructions found in the packaging
- 2 Procedure for connection to the heating system (d)
- 3 Install the ADD_ON complete with frame (b) in the counterframe (a)
- 4 Connect ADD_ON to the heating system as is arranged (d)
- 5 Install the MDF © frame that covers and fixes the ADD_ON INTRAMURO
- 6 Paint or plaster the MDF © frame with the same finish as the wall

POSITION OF CONNECTORS


The connection of the radiator to the system is with the Remote Valve Assembly (GVR), and the interaxis of the connectors on the radiator is found in the diagram here below.

dsx = the distance between the left side of the radiator and the centre of the first connector can change according to the width of the radiator, see table here below

- dsx** = 6 cm for L.24 cm
- dsx** = 18 cm for L.36 and 48 cm
- dsx** = 30 cm for L.60 and 72 cm
- dsx** = 42 cm for L.84 and 96 cm



Connection of radiator to the Remote Valve Assembly (GVR)



ADD_ON INTRAMURO HORIZONTAL

Radiator composed of 12x24 cm aluminium modules



ORDER EXAMPLE

The ADD_ON INTRAMURO model is composed of two items, AD_ROI#, ADD_ON INTRAMURO, plus INTRA_AD#, i.e. the indispensable part for wall recessing.

To correctly order this model follow the example specified below:

PRODUCT AD_ROI#144036 9010

AD_ROI# Article code found in the prices table here below
 144 Required width
 036 Required height
 9010 RAL 9010 Glossy White colour code

RECESSED PART INTRA_ADO

INTRA_ADO# Recessed part Code found in the price chart here below
 144 Corresponding ADD_ON Width
 036 Corresponding ADD_ON height

ACCESSORIES

GVR_AD#19010 Remote Valve Assembly for ADD_ON RAL 9010 Glossy white


ADD_ON INTRAMURO HORIZONTAL

Width		120		144		168		192		216		240	
Code	Height (cm)	Watts $\Delta T 50^\circ C$	Price (€)	Watts $\Delta T 50^\circ C$	Price (€)	Watts $\Delta T 50^\circ C$	Price (€)	Watts $\Delta T 50^\circ C$	Price (€)	Watts $\Delta T 50^\circ C$	Price (€)	Watts $\Delta T 50^\circ C$	Price (€)
AD_ROI#	36,0	410		494		579		665		752		839	
	48,0	534		644		754		866		979		1093	
	60,0	651		785		920		1057		1195		1334	
	72,0	762		919		1077		1237		1399		1562	
	84,0	866		1045		1225		1407		1591		1777	
	96,0	964		1163		1364		1567		1772		1979	

Corresponding RECESSED PART

Width		120		144		168		192		216		240	
Code	Height (cm)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)
INTRA_ADO#	36,0												
	48,0												
	60,0												
	72,0												
	84,0												
	96,0												

LONGITUDINAL SECTIONS




- a Counter-frame, to be wall recessed, supplied with the inter wall ADD_ON
- b Frame installed on ADD_ON for installation on counterframe
- c Fixing frame in RAW MDF to be painted or plastered
- d Space for the water connection to the heating system


Assembling notes for ADD_ON INTRAMURO

- 1 Install the counterframe (a) in the unplastered wall carefully following the assembly instructions found in the packaging
- 2 Procedure for connection to the heating system (d)
- 3 Install the ADD_ON complete with frame (b) in the counterframe (a)
- 4 Connect ADD_ON to the heating system as is arranged (d)
- 5 Install the MDF © frame that covers and fixes the ADD_ON INTRAMURO
- 6 Paint or plaster the MDF © frame with the same finish as the wall

Front view



Connection of radiator to the Remote Valve Assembly (GVR)



ORDER EXAMPLE


To correctly order this model follow the example specified below:

PRODUCT **AD_F#01 9010 R12**
AD_F#01 Article code found in the prices table here below
9010 RAL 9010 Glossy White colour code
R12 Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 222


ACCESSORIES
GVR_AD#19010 Remote Valve Assembly for ADD_ON RAL 9010 Glossy white

Model	Code	Description	H (cm)	L (cm)	Watts ΔT 50°C Coloured version	Price (€) RAL 9010 finish	Price (€) NELC finish
L1	AD_F#01	ADD_ON FREE SHAPE L1	144,0	144,0	969		
L3	AD_F#03	ADD_ON FREE SHAPE L3	130,0	198,0	1371		
L4	AD_F#04	ADD_ON FREE SHAPE L4	164,0	96,0	1120		


Model L1



Model L3



Model L4




REMOTE VALVE ASSEMBLY SPECIFIC FOR ADD_ON (GVR_AD)

The GVR_AD includes the remote valve assembly and lockshield, customized for the ADD_ON model, which can be installed at a max distance of 6 m from the radiator.

Code	Description	Price (€)
GVR_AD#19010	Remote Valve Assembly for ADD_ON RAL 9010 Glossy white	

Connection of radiator to the Remote Valve Assembly (GVR)



Connection of Remote Valve Assembly (GVR) to water system

ADD_ON VERTICAL ELECTRIC

Radiator composed of 12x24 cm aluminium modules


EL

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT **AD_RE#168048 9010**
AD_RE#168048 Article code composed of Model, Height (168) and Width (048)
9010 RAL 9010 Glossy White colour code



ACCESSORIES
ZRF004 Kit with wireless room thermostat
ZRF005 Kit with TABLE type room thermostat with weekly programming



Height	120			144			168			192			216			
Code	Width (cm)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)
AD_RE#	36,0	300	18		300	18		600	18		600	18		600	18	
	48,0	600	18		600	18		600	18		900	18		900	18	
	60,0	600	30		600	30		900	30		1200	30		1200	30	
	72,0	600	30		900	30		1200	30		1200	30				
	84,0	900	42		900	42		1200	42							
	96,0	900	42		1200	42										


POSITION OF RESISTOR

VERTICAL ELECTRIC



resistor cord or wireless receiver connection cord to be fitted inside a wall type recessed box positioned as required but not further than 1.20 cm from ADD_ON


Portable, digital wireless chronothermostat (code ZRF005)



Wireless room thermostat (cod. ZRF004)



ADD_ON resistor cord



Connection to power supply

COLOURS

The ADD_ON model in all its versions is supplied with the colour Pure White (code 9010) and also in all the other colours found in the Tubes Colour Chart without any price variation. NO GRRC.

ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with Kit with TABLE type room thermostat (radio frequency) with weekly programming room thermostat (radio frequency) with weekly programming	

The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

ADD_ON HORIZONTAL ELECTRIC

Radiator composed of 12x24 cm aluminium modules



ORDER EXAMPLE

To correctly order this model follow the example specified below:


PRODUCT **AD_ROE#168068**
AD_ROE#168048 Article code composed of Model, Width (168) and Height (048)
9010 RAL 9010 Glossy White colour code

ACCESSORIES
ZRF004 Kit with wireless room thermostat
ZRF005 Kit with TABLE type room thermostat with weekly programming

REGULAR HORIZONTAL VERSION



Width		120			144			168		
Code	Height (cm)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)	Electric resistor Watts	dR (cm)	Price (€)
AD_ROE#	24,0	300	6		300	6		300	6	
	36,0	300	6		300	6		600	6	
	48,0	600	6		600	6		600	6	

Horizontal Electric



POSITION OF RESISTORS

HORIZONTAL ELECTRIC



resistor cord or wireless receiver connection cord to be fitted inside a wall type recessed box positioned as required but not further than 1.20 cm from ADD_ON


Portable, digital wireless chronothermostat (code ZRF005)



Wireless room thermostat (cod. ZRF004)



ADD_ON resistor cord



ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with Kit with TABLE type room thermostat (radio frequency) with weekly programming room thermostat (radio frequency) with weekly programming	

The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.

ADD_ON FREE SHAPE ELECTRIC

Radiator composed of 12x24 cm aluminium modules

EL


ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT **AD_FE#01 9010**
AD_FE#01 Article code composed of Model, Width (168) and Height (048)
9010 RAL 9010 Glossy White colour code

ACCESSORIES
ZRF004 Kit with wireless room thermostat
ZRF005 Kit with TABLE type room thermostat with weekly programming

FREE SHAPE L1 Electric





FREE SHAPE VERSION

Code	Description	Watts	Price (€) RAL 9010 finish	Price (€) NELC finish
AD_FE#01	ADD_ON FREE SHAPE L1 Electric	900		

POSITION OF RESISTORS

FREE SHAPE L1 ELECTRIC



resistor cord or wireless receiver connection cord to be fitted inside a wall type recessed box positioned as required but not further than 1.20 cm from ADD_ON


Portable, digital wireless chronothermostat (code ZRF005)



Wireless room thermostat (cod. ZRF004)



ADD_ON resistor cord



ELECTRIC ADJUSTERS

Electrical setting is via the use of the following thermostats that regulate the room temperature by interacting with up to max 5 radiators.

Code	Description	Price (€)
ZRF004	Kit with WALL type room thermostat (radio frequency)	
ZRF005	Kit with Kit with TABLE type room thermostat (radio frequency) with weekly programming room thermostat (radio frequency) with weekly programming	

The price of the two kits mentioned above includes the wall box radiofrequency receiver that strictly must be installed.